

॥ राम ॥

Allied Recycling Ltd.

Manufacturers of :
ALLOY & NON ALLOY STEEL BILLETS,
WIRE ROD & ROUND
CIN : U27100PB2003PLC026583



Received
31/05/2021



भारत सरकार / Govt. of India
पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय
Min. of Environment, Forests & Climate Change
बेज नं. 24-25, सेक्टर-31A, चण्डीगढ़/Chandigarh
Date: 29.05.2021
Bays No.24-25, Sec- 31 A

To
The Joint Director,
Ministry of Environment, Forest & Climate Change,
Regional Office (North),
Government of India,
Bay No. 24-25, Sector-31A,
Chandigarh 160030.

Subject: Submission of six monthly compliance report for period ending 31.03.2021 for the expansion of steel manufacturing unit namely "Allied Recycling Limited" located at Village Budhewal, Tehsil Kum Kalan, Ludhiana, Punjab.

Sir,


With reference to the EIA Notification & its amendments regarding submission of six monthly compliance report, we are hereby submitting the six monthly compliance report for period ending 31.03.2021 for the above said project in soft copy in compact disk (CD) of the compliance report for your perusal.

Kindly acknowledge the receipt of the same.

Thanking you.

Sincerely,

For M/s Allied Recycling Limited



(Authorized Signatory)

Name-Ghuran Pathak

Contact No.-9914116519

Designation- Manager

E-mail- alliedrecyclinglimited@gmail.com



CC: Member Secretary, SEIAA Punjab, Directorate of Environment and Climate Change, C/o Punjab State Council for Science & Technology, MGSIPA Complex, Sector 26- Chandigarh-160019.

॥ राम ॥

Allied Recycling Ltd.

Manufacturers of :
ALLOY & NON ALLOY STEEL BILLETS,
WIRE ROD & ROUND
CIN : U27100PB2003PLC026583



Date: 29.05.2021

To
The Joint Director,
Ministry of Environment, Forest & Climate Change,
Regional Office (North),
Government of India,
Bay No. 24-25, Sector-31A,
Chandigarh 160030.

Subject: Submission of six monthly compliance report for period ending 31.03.2021 for the expansion of steel manufacturing unit namely "Allied Recycling Limited" located at Village Budhewal, Tehsil Kum Kalan, Ludhiana, Punjab.

Sir,

With reference to the EIA Notification & its amendments regarding submission of six monthly compliance report, we are hereby submitting the six monthly compliance report for period ending 31.03.2021 for the above said project in soft copy in compact disk (CD) of the compliance report for your perusal.

Kindly acknowledge the receipt of the same.

Thanking you.

Sincerely,

For M/s Allied Recycling Limited


(Authorized Signatory)
Name-Ghuran Pathak
Contact No.-9914116519
Designation- Manager
E-mail- alliedrecyclinglimited@gmail.com



CC: Member Secretary, SEIAA Punjab, Directorate of Environment and Climate Change, C/o Punjab State Council for Science & Technology, MGSIPA Complex, Sector 26- Chandigarh-160019.

Allied Recycling Ltd.

Manufacturers of :
ALLOY & NON ALLOY STEEL BILLETS,
WIRE ROD & ROUND
CIN : U27100PB2003PLC026583



Date: 29.05.2021

To
The Joint Director,
Ministry of Environment, Forest & Climate Change,
Regional Office (North),
Government of India,
Bay No. 24-25, Sector-31A,
Chandigarh 160030.

Subject: Submission of six monthly compliance report for period ending 31.03.2021 for the expansion of steel manufacturing unit namely "Allied Recycling Limited" located at Village Budhewal, Tehsil Kum Kalan, Ludhiana, Punjab.

Sir,

With reference to the EIA Notification & its amendments regarding submission of six monthly compliance report, we are hereby submitting the six monthly compliance report for period ending 31.03.2021 for the above said project in soft copy in compact disk (CD) of the compliance report for your perusal.

Kindly acknowledge the receipt of the same.

Thanking you.

Sincerely,

For M/s Allied Recycling Limited


(Authorized Signatory)

Name-Ghuran Pathak
Contact No.-9914116519

Designation- Manager

E-mail- alliedrecyclinglimited@gmail.com



CC: Member Secretary, SEIAA Punjab, Directorate of Environment and Climate Change, C/o Punjab State Council for Science & Technology, MGSIPA Complex, Sector 26- Chandigarh-160019.

2021

**SIX MONTHLY COMPLIANCE
REPORT
(Period ending 31.03.2021)**


**For
“Allied Recycling Limited”
Village Budhewal, Tehsil Kum Kalan, Ludhiana,
Punjab.**

**Project By:
M/s Allied Recycling Limited**

Prepared by:



Eco Laboratories and Consultants Private Limited
E-207, Industrial Area, Phase-VIII B (Sector-74), SAS Nagar (Mohali) Punjab
ems@ecoparyavaran.org, www.ecoparyavaran.org
Phone: 0172-4616225, 8872043178



CONTENT

S. No.	Description	Page No.
1.	Data Sheet	1
2.	Compliance of Environmental Clearance Conditions	4
Annexure		
3.	A-1: Copy of Environment Clearance Letter	10
4.	A-2: Photographs of the project	16
5.	A-3: Agreement regarding disposal of APCD dust	18
6.	A-4(a): Authorization of hazardous waste obtained from PPCB	26
7.	A-4(b): Consent to Operate obtained from PPCB	29
8.	A-5: Test reports of Ambient Air, Noise, Soil & Water	41
9.	A-6: ESI records of the workers	47
10.	A-7: CSR Details	55
11.	A-8: Screenshot of the company's website showing uploading of previously submitted compliance reports	69
12.	A-9: Acknowledgement of previously submitted compliance report for period ending 30.09.2020	70

**Ministry of Environment, Forest and Climate Change,
Northern Regional Office,
Chandigarh-160030**

DATA SHEET

1.	Project Type	Expansion of steel manufacturing unit
2.	Name of the Project	M/s Allied Recycling Limited
3.	Clearance letter (s)/O.M No. & dates	Environment Clearance has been granted by MoEF&CC vide Letter No. J-11011/40/2013-IA-II(I) dated 22.06.2015. Copy of the same is attached along as Annexure 1 .
4.	Location	Chandigarh Road, Village Budhewal, Tehsil Kum Kalan
	a) District (s)	Ludhiana
	b) State (s)	Punjab
	c) Latitudes/ Longitudes	30°53'18.24"N & 76°59'33.72"E
5.	Address for correspondence	M/s Allied Recycling Limited Chandigarh Road, Village Budhewal, Tehsil Kum Kalan, Ludhiana, Punjab
6.	Salient features	
	a) of the project	As per Environment Clearance Letter, after expansion the production capacity of the industrial unit becomes 1,50,000 MTA of Steel Ingots/Billets & 1,40,000 MTA of steel wire rods by 2 Induction Furnaces of capacity 6 TPH each. The total area of the plot is 20,866 sq.m. Total cost of the project is 31.5 crores.
	b) of the environmental management plans	As per Environment Clearance Letter, after expansion the total water requirement of the project is estimated to be 27 KLD; out of which 9.6 KLD will be domestic water demand and 15 KLD is the makeup water cooling demand. Total power requirement for the project is estimated to be 11.4 MW which will be supplied by PSPCL.
7.	Break-up of the project area	
	a) Submergence area: Forest and Non-forest	Not applicable
	b) Others	Not applicable
8.	Break-up of project affected population with enumeration of those losing houses/ dwelling units only, agricultural land only both dwelling units and agricultural land and	Not applicable

	landless labourers/ artisans.	
	a) SC/ST/Adivasis	Not applicable
	b) Others (Please indicate whether these figures are based on any scientific and systematic survey carried out or only provisional figures. If a survey has been carried out give details and year of survey)	Not applicable
9.	Financial details:	
	a) Project cost as originally planned and subsequent revised estimates and the year of price reference.	As per EC Letter, total cost of the project is Rs. 31.5 Crores.
	b) Allocations made for environmental management plans with item wise and year wise break up.	As per EC Letter, Rs. 48 Lakhs for pollution control measures and Rs. 9.54 Lakhs will be annual maintenance of pollution control measures.
	c) Benefit cost ratio/internal rate of return and the year of assessment	Will be calculated and submitted separately.
	d) Whether (c) includes the cost of environmental management as shown in b) above.	Yes
	e) Actual expenditure incurred on the project so far.	All the expenditure has been done on the project.
	f) Actual expenditure incurred on the environmental management plans so far.	All the expenditure on the environment management plan has been done as per the EC Letter.
10.	Forest land requirement:	
	a) the status of approval for diversion of forest land for non-forestry use	Not Applicable
	b) the status of clear felling, if any	Not Applicable
	c) the status of compensatory afforestation, if any.	Not Applicable
	d) Comments on the viability & sustainability of compensatory Afforestation programme in the light of actual field experience so far.	Not Applicable
11.	The status of clear felling in non-forest areas (such as submergence area of reservoir, approach road) if any, with quantitative information	Not applicable
12.	Status of construction:	

	a) Date of commencement (actual and/or planned)	August, 2015
	b) Date of completion (actual and/or planned)	January 2016 Expansion has been done and industry is operational. Photographs of the project are attached along as Annexure 2 .
13.	Reasons for the delay, if the project is yet to start	Not applicable

**Compliance report on conditions imposed in Environmental Clearance for period
ending 31.03.2021**

Part A - Specific conditions

S.No.	EC Conditions	Reply
i)	The project proponent should install 24 x 7 air monitoring devices to monitor air emission as provided by CPCB and submit report to Ministry and its Regional Office.	Agreed, the same is being complied.
ii)	Measures shall be taken to reduce PM levels in the ambient air. Stack of adequate height & diameter with continuous stack monitoring facilities for all the stacks, shall be provided and sufficient air pollution control devices viz. Electrostatic precipitator (ESP), bag house, bag filters etc. shall be provided to keep the emission levels within prescribed standards and installing energy efficient technologies.	Agreed. Adequate air pollution control measures have been adopted within the industrial unit such as high Efficiency Bag Filters have been installed to control the PM level.
iii)	Efforts shall further be made to use rainwater from the rainwater harvesting sources. Capacity of the reservoir shall be enhanced, if required, to meet the maximum water requirement. The Plant shall operate on a zero discharge concept.	Agreed. Rain water recharging plan has been implemented within the industrial premises by providing 3 rain water recharging pits to collect the runoff generated from roof top area of the project and recharging the ground water. Further, no industrial effluent is being generated from the unit.
iv)	Provision shall be made for the housing for the construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structure to be removed after the completion of the project. All the construction wastes shall be managed so that there is no impact on the surrounding environment.	Not applicable, as no construction activity is going on and industry is fully operational now.

v)	Proper utilization of fly ash shall be ensured as per Fly Ash Notification, 1999 and subsequent amendment in 2003 and 2010. All the fly ash shall be provided to cement and brick manufacturers for further utilization. Bottom ash shall be fully utilized for road construction. Details of Memorandum of Understanding entered shall be submitted to the Ministry's Regional Office at Bhubaneswar.	APCD dust generated from the unit has been given to authorized vendor. Agreement for disposal of APCD dust has been done with M/s Madhav KRG Ltd. earlier known as M/s Madhav Alloys Pvt. Ltd., copy is enclosed as Annexure 3 .
vi)	Hazardous materials such as lubricating oil, compressed gases, paints and varnishes required during construction phase shall be stored properly as per the regulations at isolated places and used/ recycled as per the E(P)A Rules, 1986.	Not applicable, as construction of the project was completed and industry is fully operational. However, authorization of hazardous waste has been obtained from PPCB for the existing unit; copy is enclosed as Annexure 4(a) . Also, the industry has obtained Consent to Operate from PPCB; copy of the same is enclosed as Annexure 4(b) . Agreement for disposal of APCD dust has been done with M/s Madhav KRG Ltd. earlier known as M/s Madhav Alloys Pvt. Ltd., copy is enclosed as Annexure 3 .
vii)	All vehicles and construction machinery are properly maintained to minimize the exhaust emission as well as noise generation to meet prescribed standards.	Not applicable, as construction of the project was completed and industry is fully operational. Although, ambient noise monitoring has been done recently by NABL accredited laboratory and results are within the limit. Test reports are enclosed as Annexure 5 .
viii)	Green belt consisting of a 3-tier plantation of trees with thick canopy, shall be developed all along the periphery of the plant, vacant areas, transfer points etc. as part of 33% of total plant area.	Adequate green area has been provided within the project premises. Various plants of local species have been planted along the periphery of the industrial unit. Photographs showing the green area are enclosed as Annexure 2 .
ix)	Noise level shall be reduced by stopping leakages from various steam lines, compressed air lines and other high pressure equipment; and provide noise proof cabins to operators where remote control for operating noise generating equipment is feasible.	Agreed. Ambient noise monitoring has been done recently by NABL accredited laboratory. Results of noise levels are within the permissible limits. Test report for ambient noise is enclosed as Annexure 5 .
x)	Disaster management plan shall be prepared and implemented. Regular drills thereof shall	Disaster management plan have been prepared & implemented. Mock drills have

	be conducted.	been conducted on regular basis.
xi)	All the commitments made to the public during public hearing/ public consultation shall be satisfactorily implemented and adequate budget provision shall be made accordingly.	All of the commitments made during public hearing such as road repairing and employment have been implemented.
xii)	Company shall develop an HSE Policy. All the permanent workers shall be covered under ESI Scheme. The Company shall have the provision for treatment of its workers at the local Nursing Homes & Hospitals in case of emergency. Annual Medical Check-up on some medical parameters like Blood Test, Chest X-Ray, Eye Test, Audiometry, Spirometry etc. shall be conducted amongst the employees of the Company and records maintained thereof.	All the workers have been covered under ESI Scheme. ESI details are enclosed as Annexure 6.
xiii)	At least 2.5% of the total cost of the project shall be earmarked towards the Enterprise Social Commitment (ESC) based on local needs. The proponent shall prepare a detailed CSR Plan for every next 5 years for the existing-cum-expansion project, which includes village-wise, sector-wise (Health, Education, Sanitation, Health, Skill Development and infrastructure requirements such as strengthening of village roads, avenue plantation etc.) activities in consultation with the local communities and administration. The CSR Plan will include the amount of 2% retain annual profits as provided for in Clause-135 of the Companies Act, 2013 which provides for 2% of the average net profits of previous 3 years towards CSR activities for life of the project. A separate budget head shall be created and the annual capital and revenue expenditure on various activities of the Plan shall be submitted as part of the Compliance Report to R.O., Bangalore. The details of the CSR Plan shall also be uploaded on the Company website and shall also be provided in the Annual Report of the Company.	Agreed. CSR activities have been done as per the commitment. Details of the CSR activities done so far are enclosed as Annexure 7.

Part B - General conditions

S.No.	Compliance conditions	Compliance Reply
i)	The project authorities must strictly adhere to the stipulations made by the Punjab Pollution Control Board and the State Government.	Agreed. All the stipulations made by the Punjab Pollution Control Board are being strictly implemented.
ii)	No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).	Fresh application has been filed to MoEF&CC for further expansion and TOR has been issued.
iii)	At least four ambient air quality monitoring stations should be established in the downward direction as well as where maximum ground level concentration of PM ₁₀ , PM _{2.5} , SO ₂ and NO _x are anticipated in consultation with the SPCB. Data on ambient air quality and stack emission shall be regularly submitted to this Ministry including its Regional Office at Chandigarh and the SPCB/ CPCB once in six months.	All necessary measures have been taken to control air pollution. Ambient air quality is monitored has been done on half yearly basis by NABL accredited laboratory. Test reports of the same are attached at Annexure 5 .
iv)	Industrial wastewater shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31 st December,1993 or as amended from time to time. The treated wastewater shall be utilized for plantation purpose.	There is no effluent generation from the process. However, domestic effluent is being used for horticulture purpose within the project premises after proper treatment in the septic tank.
v)	The overall noise levels in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels should conform to the standards prescribed under EPA Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time.)	Noise quality has been confirmed to the prescribed standards. Test report showing the results of ambient noise is enclosed along as Annexure 5 .
vi)	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	Occupational health surveillance program has been carried out on the regular basis and proper records have been maintained.
vii)	The Company shall develop rain water harvesting structures to harvest the rain water for utilization in the lean season besides	Proper rain water recharging plan has been implemented within the industrial premises by providing 3 rain water

	recharging the ground water table.	recharging pits to collect the runoff generated from roof top area of the project and recharging the ground water.
viii)	The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA/ EMP Report. Further, the Company must undertake socioeconomic development activities in the surrounding villages like community development programmes, educational programmes, drinking water supply and health care etc.	The company has been undertaken various socio-economic development activities in the surrounding villages. The amount spent on CSR activities done so far is enclosed as Annexure 7 .
ix)	Requisite funds shall be earmarked towards capital cost and recurring cost/ annum for environment pollution control measures to implement the conditions stipulated by the Ministry of Environment, Forests and Climate Change (MoEF&CC) as well as the State Government. An implementation schedule for implementing all the conditions stipulated herein, shall be submitted to the Regional Office of the Ministry at Chandigarh. The funds so provided shall not be diverted for any other purpose.	Funds earmarked for environmental protection measures as per the EC letter are not diverted for other purposes.
x)	A copy of clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parishad/ Municipal Corporation, Urban Local Body and the local NGO, if any from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the web site of the Company by the proponent.	Agreed. Copy of environment clearance letter has been sent to all of the concerned Government authorities and details of the same were already submitted to your esteemed office with previous six monthly compliance report.
xi)	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the MOEFCC at Chandigarh. The respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; PM ₁₀ , SO ₂ and NO _x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects shall be monitored and displayed at a convenient	Agreed. Status of compliance of stipulated EC conditions including results of monitored data has been uploaded on the website. Screenshot showing the same is enclosed as Annexure 8 . Further, environment data board has been displayed at main gate of the industry. Photograph showing the same is enclosed as Annexure 2 .

	location near the main gate of the Company in the public domain.	
xii)	The project proponent shall also submit six monthly reports on the status of the compliance of the stipulated environmental conditions including results of monitored data (both in hard copies as well as by e-mail) to the Regional Office of MOEFCC, the respective Zonal Office of CPCB and the SPCB. The Regional Office of this Ministry at Chandigarh/ CPCB/ SPCB shall monitor the stipulated conditions.	Half yearly compliance report has been submitted on the regular basis to Regional Office of MoEF&CC, the regional office of PPCB. Acknowledgment of the last submitted six monthly compliance report for period ending 30.09.2020 is enclosed as Annexure 9 .
xiii)	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the Company along with the status of compliance of environmental conditions and shall also be sent to the respective Regional Office of the MOEFCC at Chandigarh by e-mail.	Agreed. The same is being complied. Environment statement for each financial year has been filed to PPCB in Form V.
xiv)	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB and may also be seen at Website of the Ministry of Environment, Forests and Climate Change MOEFCC) at http:// envfor.nic.in . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same should be forwarded to the Regional Office at Chandigarh.	Advertisement has already been published in the newspaper and the same has already been submitted with the previous six monthly compliance reports.
xv)	Project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.	The same was complied. As Consent to Establish was obtained from PPCB before installation of new Induction Furnaces and details of the same was submitted with previous six monthly compliance reports.

F. No. J-11011/40/2013-IA II (I)
Government of India
Ministry of Environment, Forest and Climate Change
(I.A. Division)

Indira Paryavaran Bhawan
Jor Bagh Road, Ali Ganj,
New Delhi - 110003

E-mail: satish.garkoti@nic.in

Tele ph.: 011: 24695316

Dated: 22nd June, 2015

To

✓ **M/s Allied Recycling Ltd.**
Chandigarh Road, V.P.O Budhewal
Tehsil-Kum-Kalan, Dist-Ludhiana
Punjab-141112

Email: sital_cptmohali@yahoo.co.in, alliedsteels@sifv.com;

Fax No.- 0161-3230519

Subject: Expansion of Steel Manufacturing Unit from 1,53,000 TPA (80,000 TPA Steel ingot/billets and 73,000 TPA steel wire rods) to 2,90,000 TPA (1,50,000 TPA steel ingots/billets and 1,40,000 steel rods) of M/s Allied Recycling Ltd at village Budhewal, Tehsil Kum Kalan, Dist. Ludhiana, Punjab. Environmental Clearance regarding -

Sir,

This has reference to your letter No. dated 25.12.2013 along with copies of EIA/EMP report seeking environment clearance under the provisions of the EIA Notification, 2006. The ToRs for the project were awarded by the Ministry vide letter of even No. dated 29th May, 2013 for preparation of EIA/EMP report.

2.0 M/s Allied Recycling Ltd. is a Steel manufacturing Unit, which has been manufacturing 80, 000 MTA Steel Ingot/ billets and 73, 000 MTA Steel Wire Rods. The Industry has now proposed to enhance the capacity of the unit by addition of Two no's of Induction furnaces of capacities 6 TPH each. The capacity of the unit after expansion will be 1,50,000 MTA Steel Ingots/ billets & 1, 40, 000 MTA Steel Wire Rods. The total area of the plot is about 20, 866 m². There are no wild life sanctuaries, reserved /protected forests or defence installations, rivers and hill ranges within 10 km of the project. It is about 18 kms from Ludhiana and about 75 kms from Chandigarh. Total cost of the Project is 31.5 crores and 48 lakhs have been provided for pollution control Measures. About 9.5 lakhs will be spent on annual maintenance of such measures.

3.0 The raw materials used are MS/CI Scrap, Sponge/Pig Iron, Ferro alloys Manganese, Ferro Silicon, Aluminium. These will be sourced from Domestic as well as

International Markets. The raw materials used in the manufacturing of structural sections is Steel Ingots and Billets will be sourced from own unit.

4.0 The water requirement for domestic purpose will be 9.6 KLD and evaporation loss will be 15 KLD. There is no use of water in the process. So the total water requirement will be 27 KLD. The total power demand for the unit is about 11.4 MW. This demand will be met by sourcing power from Punjab State Power Corporation Limited from the nearby Sub-station. There will be about 300 persons working in the unit. For Air Pollution Control, Cyclones & Bag filters have been provided on Induction furnace and Scrubber on rolling mills. There will be generation of emission containing SPM. All the processes are closed circuit; as such emission to the atmosphere will be minimal. However, APCD, cyclone, bag filters will be provided at the exit point to arrest particulate matters.

5.0 Public Hearing of the project was conducted by PPCB at site on 27.10.2014 under the Chairmanship of Smt. Amrit Kaur Gill, PCS, Additional Deputy Commissioner (G), Ludhiana. Major issues raised during the public hearing inter alia include repair of roads, employment etc.

6.0 The proposal was considered during the 33rd meeting of the Expert Appraisal Committee (Industry) held on 10th – 11th February, 2015. After detailed deliberations, the EAC (I) recommended the project for Environmental Clearance and stipulated Specific Conditions along with other environmental conditions while considering for accord of Environmental Clearance.

7.0 The Ministry of Environment, Forest and Climate Change (MoEFCC) on the basis of the aforesaid recommendations of the EAC (I), hereby grants Environmental Clearance to the aforesaid project vide provisions of EIA Notification dated 14th September 2006, subject to strict compliance of the following Specific and General conditions:

A. SPECIFIC CONDITION:

- i. The project proponent should install 24x7 air monitoring devices to monitor air emission as provided by CPCB and submit report to Ministry and its Regional Office.
- ii. Measures shall be taken to reduce PM levels in the ambient air. Stack of adequate height & diameter with continuous stack monitoring facilities for all the stacks shall be provided and sufficient air pollution control devices viz. Electrostatic precipitator (ESP), bag house, bag filters etc. shall be provided to keep the emission levels within prescribed standards and installing energy efficient technologies.



- iii. Efforts shall further be made to use rainwater from the rain water harvesting sources. Capacity of the reservoir shall be enhanced, if required, to meet the maximum water requirement. The Plant shall operate on a zero discharge concept.
- iv. Provision shall be made for the housing for the construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structure to be removed after the completion of the project. All the construction wastes shall be managed so that there is no impact on the surrounding environment.
- v. Proper utilization of fly ash shall be ensured as per Fly Ash Notification, 1999 and subsequent amendment in 2003 and 2010. All the fly ash shall be provided to cement and brick manufacturers for further utilization Bottom ash shall be fully utilized for road construction. Details of Memorandum of Understanding entered shall be submitted to the Ministry's Regional Office at Bhubaneswar.
- vi. Hazardous materials such as lubricating oil, compressed gases, paints and varnishes required during construction phase shall be stored properly as per the regulations at isolated places and used/recycled as per the E(P)A Rules, 1986.
- vii. All vehicles and construction machinery are properly maintained to minimize the exhaust emission as well as noise generation to meet prescribed standards.
- viii. Green belt consisting of a 3-tier plantation of trees with thick canopy shall be developed all along the periphery of the plant, vacant areas, transfer points, etc , as part of 33% of total plant area.
- ix. Noise level shall be reduced by stopping leakages from various steam lines, compressed air lines and other high pressure equipment; and provide noise proof cabins to operators where remote control for operating noise generating equipment is feasible.
- x. Disaster management plan shall be prepared and implemented. Regular drills thereof shall be conducted.
- xi. All the commitments made to the public during public hearing/public consultation shall be satisfactorily implemented and adequate budget provision shall be made accordingly.
- xii. Company shall develop an HSE Policy. All the permanent workers shall be covered under ESI Scheme. The company shall have the provision for treatment of its workers at the local Nursing Homes & Hospitals in case of emergency. Annual Medical Check-up on some medical parameters like Blood test, Chest X-Ray, Eye test, Audiometry, Spirometry etc. shall be conducted amongst the employees of the Company and records maintained thereof.

xiii. At least 2.5 % of the total cost of the project shall be earmarked towards the Enterprise Social Commitment (ESC) based on local needs. The proponent shall prepare a detailed CSR Plan for every next 5 years for the existing-cum-expansion project, which includes village-wise, sector-wise (Health, Education, Sanitation, Health, Skill Development and infrastructure requirements such as strengthening of village roads, avenue plantation, etc) activities in consultation with the local communities and administration. The CSR Plan will include the amount of 2% retain annual profits as provided for in Clause 135 of the Companies Act, 2013 which provides for 2% of the average net profits of previous 3 years towards CSR activities for life of the project. A separate budget head shall be created and the annual capital and revenue expenditure on various activities of the Plan shall be submitted as part of the Compliance Report to RO, Bangalore. The details of the CSR Plan shall also be uploaded on the company website and shall also be provided in the Annual Report of the company.

B. GENERAL CONDITIONS:

- i. The project authorities must strictly adhere to the stipulations made by the Punjab Pollution Control Board and the State Government.
- ii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEFCC).
- iii. At least four ambient air quality monitoring stations should be established in the downward direction as well as where maximum ground level concentration of PM₁₀, PM_{2.5}, SO₂ and NO_x are anticipated in consultation with the SPCB. Data on ambient air quality and stack emission shall be regularly submitted to this Ministry including its Regional Office at Chandigarh and the SPCB/CPCB once in six months.
- iv. Industrial wastewater shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 or as amended from time to time. The treated wastewater shall be utilized for plantation purpose.
- v. The overall noise levels in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels should conform to the standards prescribed under EPA Rules, 1989 viz. 75 dBA (daytime) and 70 dBA (nighttime).
- vi. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.


- vii. The company shall develop rain water harvesting structures to harvest the rain water for utilization in the lean season besides recharging the ground water table.
- viii. The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA/EMP report. Further, the company must undertake socio-economic development activities in the surrounding villages like community development programmes, educational programmes, drinking water supply and health care etc.
- ix. Requisite funds shall be earmarked towards capital cost and recurring cost/annum for environment pollution control measures to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change (MoEFCC) as well as the State Government. An implementation schedule for implementing all the conditions stipulated herein shall be submitted to the Regional Office of the Ministry at Chandigarh. The funds so provided shall not be diverted for any other purpose.
- x. A copy of clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parishad/Municipal Corporation, Urban Local Body and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the web site of the company by the proponent.
- xi. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the MOEFCC at Chandigarh. The respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; PM₁₀, SO₂, NO_x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- xii. The project proponent shall also submit six monthly reports on the status of the compliance of the stipulated environmental conditions including results of monitored data (both in hard copies as well as by e-mail) to the Regional Office of MOEFCC, the respective Zonal Office of CPCB and the SPCB. The Regional Office of this Ministry at Chandigarh / CPCB / SPCB shall monitor the stipulated conditions.
- xiii. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental conditions and shall also be sent to the respective Regional Office of the MOEFCC at Chandigarh by e-mail.

- xiv. The Project Proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB and may also be seen at Website of the Ministry of Environment, Forests and Climate Change (MoEFCC) at <http://envfor.nic.in>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same should be forwarded to the Regional office at Chandigarh.
- xv. Project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.

8.0 The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.


9.0 The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.

10.0 The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008 and the Public (Insurance) Liability Act, 1991 along with their amendments and rules.


(Dr. Satish C. Garkoti)
Director

Copy to:-

1. The Secretary, Department of Environment, Govt. of Punjab.
2. The Chairman, Central Pollution Control Board, Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, New Delhi, 110 032.
3. The Chairman, Punjab State Pollution Control Board, Vatavaran Bhavan, Nabha Road, Patiala-147001.
4. The Additional Principal Chief Conservator of Forests (C) Ministry of Environment, Forest & Climate Change, Regional Office (NZ) Bays No. 24-25, Sector-31 A, Dakshin Marg, Chandigarh-160030.
5. Guard File / Record File/Monitoring file.


(Dr. Satish C. Garkoti)
Director

Photographs of the project



Photographs of the industrial premises





Photographs of the parking area provided within project




Photographs of the fire extinguisher provided within unit



Photographs of the environment data board displayed



Photographs of the first aid box provided



ਬੰਨਾਬ ਪੰਜਾਬ PUNJAB

AA 732171

MEMBERSHIP AND WASTE OFFTAKE AGREEMENT

This **MEMBERSHIP AND WASTE LIFTING AGREEMENT** (hereinafter referred to as "the agreement") made on this.....20 MARCH.....of the year 2018..... by the amongst:-

M/S MADHAV ALLOYS PVT. LTD. having its Registered office at Talwara road, Mandi Gobindgarh and site at village Akalgarh, Amloh Bhadson road, near toll plaza, District Patiala (herein after called the "**Operator**" which expression shall unless repugnant to the context or meaning thereof, mean and include its successors and permitted assigns) represented by **Sh. Rajesh Kumar Khanna s/o Sh. Seelarsi Lal.**, **AGM – Purchase**, duly authorized by the board of Directors Resolution dated **25.10.2017**.

AND

ALLIED RECYCLING LIMITED
V.& P.O. Budhewal, Chandigarh Road,
LUDHIANA (PUNJAB)

M/S.....

.....(herein after referred to as the "**Generator**", which expression shall unless repugnant to context or meaning thereof, mean and include its successors and permitted assigns) represented by **Sh. Gurnam Kothak s/o Sh. Jarnaldev Kothak**, duly authorized by Board of Directors.

For Madhav Alloys (P) Ltd.

Auth. Sign

For Allied Recycling Limited

Authorised Signatory

Signature On Behalf of Operator

Signature On Behalf of Generator

WHEREAS

1. The Operator is recycler of Hazardous waste category 35.1 i.e. APCD Dust duly authorized by Punjab Pollution Control Board having authorization of Collection, Storage, Transportation, Reception, Recycling, Treatment and Disposal of the Hazardous waste through its authorization No. HWM/Fresh/PTA/2017/6337621, issued on dated 09/10/2017 valid till 30.06.2022.
2. The Generator desires to get its Hazardous Waste i.e. APCD Dust, being generated at their production unit (s) mentioned above as per there valid authorization (Authorization No. HWM/LDH1/2015/2904931 Dated. 18/11/15 Valid till date. 17/11/20) from Punjab Pollution Control Board to be collected, Transported, Treated, Stored, and Disposed of by utilizing the services of Operator has agreed, on the terms and conditions contained in this Agreement.

NOW THEREFORE, in consideration of the premises and of mutual covenant and obligations hereinafter set forth, the parties hereto agree as follows:

1. DEFINITIOANS:

In this agreement including the recitals hereof, unless the context otherwise requires, the following words and abbreviations shall have the meaning as under:

"Agreement" means this Membership and Waste Lifting Agreement, including the schedules hereto, as of the date hereof as may be amended or supplemented in accordance with the provisions hereof.

"HWMF" or "Facility" means Hazardous Waste Management Facility installed by the Operator at village Bhagwanpura, Tehsil Amloh, District Fatehgarh Sahib (Punjab)

"Rules" means the Hazardous Waste and other Waste (Management and Transboundary Movement) Rules, 2016.

"Manifest" means the manifest prepared in form 10 to the Rules pursuant to the provisions of Rule 7 of the Rules.

"PPCB" means Punjab Pollution Control Board.

"Production Unit" means the unit of the generator, where the Hazardous Waste is being generated.


"Party" means either of the parties of this agreement.

"CPCB" means Central Pollution Control Board

"MOEF" means Ministry of Environment and Forest


"APCD" means Air Pollution Control Device

For Madhav Alloys (P) Ltd.



Signature On Behalf of Operator

For Allied Recycling Limited


Authorized Signatory

Signature On Behalf of Generator

2. SCOPE OF SERVICES:

- I. The Operator having authorization and facility, for Collection, Storage, Transportation, Reception, Recycling, Treatment and Disposal of the Hazardous waste.
- II. The main mode of disposal shall be recycling / reprocessing the Hazardous Waste and extracting zinc from it i.e. APCD Dust.

3. QUALITY PARAMETERS OF APCD DUST

- I. Zn more than 10% (for details, please refer of Clause 6 of the agreement)
- II. Moisture less than 1 %
- III. Dust not older than 15 days
- IV. Dust should be filled directly into the HDPE bags.
- V. Bags should be properly sealed.
- VI. Dust should be stored in a cool, dry and covered room.
- VII. At the time of loading, the dust should not catch moisture

4. OBLIGATIONS OF THE GENERATOR:

I. Process Detail:

The generator, in accordance with the rules, shall provide the entire process details, which lead to generation of Hazardous Waste i.e. APCD Dust, to the operator for the purpose of determining the waste characteristics and to decide parameters for Comprehensive Analysis, as well as its final path way of treatment, storage and disposal before signing the Agreement. In case of any change in process, the generator shall intimate the Operator before sending the Hazardous Waste i.e. APCD Dust from the changed process to the facility.

II. Waste Quantities:

The Generator shall declare the Hazardous Waste quantities at the time of signing the agreement, in the Format as **Annexure-I** to this agreement and thereafter on annual basis, at least 15 days before the start of the next year. In case of any change in the waste quantities, the generator shall give the revised details in the aforesaid format, within 7 days of such change

of Madhav Alloys (P) Ltd.

Auth Sign

Signature On Behalf of Operator

For Allied Recycling Limited

Authorized Signatory

Signature On Behalf of Generator

III. Categorization of waste:

The responsibility for categorization of hazardous waste i.e. APCD Dust shall be with the Generator, however the Operator shall extend all the possible help and guidance to the Generator for categorization of wastes its detailed characterization.

In event of any dispute between the Operator and Generator on characterization of waste, process of generation, Stabilization etc. Mutually an independent expert will be appoint who shall carry out the necessary tests and provide the necessary clarifications. The fees and the cost of the Independent Expert shall be borne by the Generator. The result of such tests and clarifications by the independent Expert shall be final and binding on the Operator and Generators.

IV. Safety Information:

The safety of the community (human, flora and fauna) during transportation is of prime importance and thus, safety information will be provided by the Generator in **form-8** as amended from time to time, as attached to the Rules.

Further, the Generator shall give to the Operator such information as may be specified by PPCB or as may be required by any statutory body.


V. Packaging and Labeling:

The Generator shall ensure that the Hazardous waste is packaged in a manner suitable for storage and transport and the labeling and packaging shall be easily visible and be able to withstand physical conditions and climate factors. Such packaging and labeling should be in full compliance of the Rules.

VI. Manifest:


The Generator shall provide the Manifest to the Transporter as per the Rules. Upon receipt of a manifested waste, the Operator shall determine if the manifest accurately described the waste it accompanies. Any discrepancy in weight (for shipment over 3%), piece count (for batch or containerized waste shipments, one container per truck load), or waste type are considered significant and should be noted on all copies of the Manifest at the time of signatures. The operator shall try to reconcile the discrepancy with the transporter and Operators promptly. Any discrepancy not resolved within 15 days of waste receipts shall be reported by Operator to PPCB with an explanatory letter and a copy of manifest.

For Madhav Alloys (P) Ltd.

Auth. Sign


Signature On Behalf of Operator

For Allied Recycling Limited

Auth. Sign

Authorised Signatory

Signature On Behalf of Generator

VII. Transport Emergency (TREM) Card:

The generator shall provide the TREM Card, separately for the waste type, to Operator/Transporter of the waste in **Form -9**, as amended from time to time, attached to the rules.

VIII. Comprehensive Waste Analysis:

The Generator shall provide Comprehensive Waste Analysis before signing of the agreement on parameters identified as could be applicable based on the material characteristics / process. The generators shall, if so requested by the Operator, provide a representative sample of the waste for the purpose of its detailed chemical and physical analysis.

The comprehensive based analysis report shall be used to determine the disposal pathway based on the waste characteristics and as per the Rules and guidelines issued by the Ministry of the Environment and forest, Central Pollution Control Board, Punjab Pollution Control Board and other statutory regulation in respect thereto. Disposal pathway shall be mutually agree with Generator and Operator and shall form the basis for tariff.


The Generator shall provide fresh comprehensive waste analysis reports in One or more of the followings occasion:

- a) There is a change in waste characteristics;
- b) There is a change in manufacturing process;
- c) There is change in product mix/raw material mix;
- d) An otherwise known reason for change in waste quantities and characteristics;
- e) A period of two years has lapsed since the submission of the previous comprehensive waste analysis.

IX. Declaration:


The Generator shall give a specific declaration whether or not the Hazardous Waste contains Explosive/Ignitable/Corrosive/Toxic/Odor and other such compounds, which could be detrimental to the environment safety of the facility and to the persons handling it in any manner. The Generator shall be totally responsible for any consequences of non-declaration and the Operator deserves all rights to take any suitable action under the law which shall be binding on the Generator.

For Madhav Alloys (P) Ltd.

Auth. Sign. 

Signature On Behalf of Operator

For Allied Recycling Limited


Authorized Signatory

Signature On Behalf of Generator

Provided that the Operator reserves the right not accept such waste which contains Explosive/Ignitable/Corrosive/Toxic/Odor and other such compounds, at its discretion and also without completion of the total formalities of understanding the waste and its safe handling transport and disposal mechanisms.


The Generator is responsible to segregate/Store/accumulate/Fill/Load the Hazardous Waste in the container provided by the Operator in the sanitary manner as per the Rules and so also container area should be accessible to the Operator vehicle to come and to collect the container.

- X. The Operator shall return to the Generators all non-conforming waste that is received by it/send to the facility. The cost of transportation of such non-conforming waste from the facility to the premises of the generator shall be borne by the generator.
- XI. In case a waste is classified as explosive in nature the fact has to be informed to the Operator. Detailed information on its characteristics and safe handling practices shall be furnished in advance to the Operator. In case no information is provided or information is held back and in the event of any explosion or accident during transportation and/or during handling the Generator shall be solely responsible for all associated direct and in direct liabilities.
- XII. In the event of false information to be Operator of any nature is associated direct and indirect liabilities are the responsibility of the Generator.

5. OBLIGATIONS OF THE OPERATOR:


- I. The Operator shall accept hazardous wastes at the facility only from the Generators who are the registered members and have appropriate authorization from the PPCB and/all other statutory authorities. The Operator shall plan the schedule for collection, treatment, transportation and disposal of waste as per the mandate given by the Generator and as per the Rules and guidelines issued by the MOEF, CPCB, PPCB and other statutory regulation in respect thereto.
- II. The Operator shall provide to the Generator at its own cost the assistance and facilitation as may reasonably be requested by the Generators, in the classification, segregation and testing of hazardous wastes generated at Operational site of the generators provided that the generators shall be responsible for informing the Operator about any change in process that result/ may result in a change in the characteristics of the hazardous waste.
- III. The Operator shall not accept hazardous waste of a type and variety for which it does not have the requisite authorization or capacity.

For Madhav Alloys (P) Ltd.

Auth. Sign 

Signature On Behalf of Operator

For Allied Recycling Limited

Authorised Signatory 

Signature On Behalf of Generator


6. ARIFF & OTHER CONDITIONS:

I. The Operator shall pay to the Generator, in respect of APCD Dust lifted based on the content of Zn as under:

Zn content in APCD Waste	Rate to be paid (per Ton)
35% and Above	Rs. 3000/-
27% to 34%	Rs. 1500/-
10% to 26%	Rs. 500/-


- II. The above price shall be finalized on the basis of results / reports of sample testing done at the Operators' end.
 - III. In case Zn content is less than 10%, there shall be no lifting of APCD Waste.
 - IV. Labor will be Provided by Operator for lifting of APCD Dust from Generator Unit but generator will be responsible for proper filled the dust in bags with sealed for timely lifting the dust from generator unit.
 - V. The expenses on loading & transportation shall be borne by the Operator.
 - VI. Minimum 3 Ton lot is required for lifting of APCD Waste in one consignment. There shall be no lifting of waste if quantity is less than 3 Ton.
 - VII. In case it is found that the APCD Waste mixed with foreign particles such as sand, garbage, or any other material, the generator will be charged Rs. 6000/- per ton (TSDF Charges) as the operator need to arrange the lifting of the same by TSDF. On the third (3rd) instance of such findings of the same Generator, the case shall also be referred to the PPCB.
 - VIII. The validity of the contract shall be for one year from the date of signing of the contract.
 - IX. Above sited tariff and other conditions are applicable for dry bag house APCD waste only.
 - X. The operator shall not be bound to lift wet scrubber APCD waste. In case the operator lifts the same then it shall be without paying any amount.
- a) **Dispatch of APCD Waste & Invoicing:**
- i. At the time of removal of APCD Waste from the premises of Generator, a delivery challan will be prepared by it giving the required details such as quantity, vehicle number and approximate value of the goods in it. If required, an E-way bill shall also be generated and sent along with delivery challan.
 - ii. Once goods received in the premises of operator, and rates finalized on the basis of sample testing done, the same shall be communicated to the generator for issue of the tax invoice.
 - iii. Based on the final rate as communicated, the generator shall issue a tax invoice giving reference number of the delivery challan earlier issued and all the details and shall also charge GST on invoice.
 - iv. The payment of the invoice will be released within one month after receipt of invoice.

of Wadhav Alloys (P) Ltd.

Auth. Sign


Signature On Behalf of Operator

For Allied Recycling Limited


Authorised Signatory

Signature On Behalf of Generator

v. **TERMINATION:**

Either party shall have right to terminate the agreement in the event of violation of any of the term and conditions of this agreement by giving 30 days written notice to the other party.

7. **MISCELLANEOUS:**

- I. Nothing contained herein shall be deemed to constitute a partnership, joint venture or agency and parties hereto.
- II. This agreement may be modified or amended only by writing, duly executed by or on behalf of the parties hereto.

For Madhav Alloys Pvt Ltd.

For Madhav Alloys (P) Ltd.

Auth. Sign

Authorized signatory

Rajesh Kumar Khanna

(AGM Purchase)

Generator

For Allied Recycling Limited

Authoised Signatory

Authorized signatory



PUNJAB POLLUTION CONTROL BOARD

Zonal Office-I, E-648-B, Focal Point, Phase-5, Ludhiana

Website:- www.ppcb.gov.in

Office Dispatch No :	Registered/Speed Post	Date:
Industry Registration ID : R12LDH123012		Application No : 13250786

To,
Vijay Abrol
H.NO.773-B, AGGAR NAGAR, LUDHIANA, 141002, Punjab, INDIA
Ludhiana,Ludhiana-141012

Subject: Renewal of Authorization for operating a facility for 'Collection, Generation, Storage, ' of Hazardous Wastes as per the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 .

Vijay Abrol of Allied recycling limited is hereby granted an authorisation based on the enclosed signed inspection report for Collection, Generation, Storage, on the premises situated at Vpo: budhewal, chandigarh road, Ludhiana east, Ludhiana i-141112

1. Particulars of Authorization granted to the Industry

Authorization No	HWM/renew/LDH1/2020/13250786
Previous Authorization No	HWM/renew/LDH1/2019/9849885
Date of issue :	15/10/2020
Date of expiry :	14/10/2025
Previous Authorization Date of Issue :	14/10/2019
Previous Authorization Date of Expiry :	13/10/2024
Authorization Type :	renew

2. Particulars of the Industry

Name & Designation of the Applicant	VIJAY ABROL, (DIRECTOR)
Address of Industrial premises	Allied recycling limited, Vpo: budhewal, chandigarh road, Ludhiana east,Ludhiana i-141112
Capital Investment of the Industry	5432.92 lakhs
Category of Industry	Red
Type of Industry	Integrated Iron and Steel
Scale of the Industry	Large
Office District	Ludhiana i


"This is computer generated document from OCMMS by PPCB"

Allied recycling limited,Vpo: budhewal, chandigarh road,Ludhiana east,Ludhiana i,141112

3. Particulars of Wastes

Category of Hazardous Waste as per the Schedules I,II and III of these rules	Authorised mode of disposal or recycling or utilisation or co-processing, etc	Quantity (ton/annum)
Schedule I 35.1-Exhaust Air or Gas cleaning residue	Collection , Storage	10.50 T/Annum
Schedule I 5.1-Used or spent oil	Generation , Collection , Storage	3.6 KL/Annum
Schedule I 35.1-Exhaust Air or Gas cleaning residue	Generation , Collection , Storage	10.50 T/Annum

4. The authorisation is subject to the general and specific conditions as appended with the Authorization.



15/10/2020

(Ravinder Bhatti)
Environmental Engineer

*For & on behalf
of*

(Punjab Pollution Control Board)

Endst. No.:

Dated:

A copy of the above is forwarded to the following for information and necessary action please:

Environmental Engineer, Punjab Pollution Control Board, Regional Office-1, Ludhiana for information and necessary action.

15/10/2020

(Ravinder Bhatti)
Environmental Engineer

*For & on behalf
of*

(Punjab Pollution Control Board)

"This is computer generated document from OCMMS by PPCB"

Allied recycling limited, Vpo: budhewal, chandigarh road, Ludhiana east, Ludhiana i,141112

Page2

TERMS AND CONDITIONS

A. GENERAL CONDITIONS

1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Control Board.
3. The person authorised shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorisation.
4. Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorisation is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time;
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on *½*Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty*½*.
7. It is the duty of the authorised person to take prior permission of the State Pollution Control Board to close down the facility.
8. The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation.
9. The record of consumption and fate of the imported hazardous and other wastes shall be maintained.
10. The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilisation of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorisation.
11. The importer or exporter shall bear the cost of import or export and mitigation of damages if any.
12. An application for the renewal of an authorisation shall be made as laid down under these Rules.
13. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time.
14. Annual return shall be filed by June 30th for the period ensuring 31st March of the year.

B. SPECIFIC CONDITIONS



15/10/2020

(Ravinder Bhatti)
Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)

"This is computer generated document from OCMMS by PPCB"

Allied recycling limited, Vpo: budhewal, chandigarh road, Ludhiana east, Ludhiana i,141112

Page3



PUNJAB POLLUTION CONTROL BOARD

Zonal Office-I, E-648-B, Focal Point, Phase-5, Ludhiana

Website:- www.ppcb.gov.in

Office Dispatch No :	Registered/Speed Post	Date:
Industry Registration ID: R12LDH123012		Application No : 13247664

To,
Vijay Abrol
H.no.773-b, Aggar Nagar, Ludhiana, 141002, Punjab, India
Ludhiana,Ludhiana-141012

Subject: Grant Varied 'Consent to Operate' u/s 21 of Air (Prevention & Control of Pollution) Act, 1981 for discharge of emissions arising out of premises.

With reference to your application for obtaining Varied 'Consent to Operate' u/s 21 of Air (Prevention & Control of Pollution) Act, 1981, you are hereby, authorized to operate an industrial unit for discharge of the emission(s) arising out of your premises subject to the Terms and Conditions as mentioned in this Certificate.

1. Particulars of Consent to Operate under Air Act, 1981 granted to the industry

Consent to Operate Certificate No.	CTOA/Varied/LDH1/2020/13247664
Date of issue :	13/10/2020
Date of expiry :	30/06/2025
Certificate Type :	Varied
Previous CTO No. & Validity :	CTOA/Varied/LDH1/2019/9849694 From:07/10/2019 To:30/06/2020

2. Particulars of the Industry

Name & Designation of the Applicant	Vijay Abrol, (Director)
Address of Industrial premises	Allied Recycling Limited, Vpo: Budhewal, Chandigarh Road, Ludhiana East,Ludhiana I-141112
Capital Investment of the Industry	5432.92 lakhs
Category of Industry	Red
Type of Industry	Integrated Iron and Steel
Scale of the Industry	Large
Office District	Ludhiana I
Consent Fee Details	Rs. 4,20,000/- vide R no. 97115767 dated 24.07.2020 under Water Act, 1974. Rs. 4,20,000/- vide R no. 19411551 dated 24.07.2020 under Air Act, 1981. Adequate up to 30.06.2025

"This is computer generated document from OCMMS by PPCB"

Allied Recycling Limited, Vpo: Budhewal, Chandigarh Road, Ludhiana East, Ludhiana I, 141112

Raw Materials (Name with Quantity per day)	<i>IRON SCRAP/SPONGE IRON @ 388.5 Metric Tonnes/Day STEEL BILLET @ 373 Metric Tonnes/Day FERRO ALLOYS @ 4.000 Metric Tonnes/Day</i>
Products (Name with Quantity per day)	<i>WIRE ROD @ 360 Metric Tonnes/Day STEEL BILLET @ 378 Metric Tonnes/Day</i>
By-products, if any, (Name with Quantity per day)	<i>END CUTTING-BILLET @ 7.500 Metric Tonnes/Day END CUTTING-WIRE ROD @ 6.000 Metric Tonnes/Day</i>
Details of the machinery and process	<i>As per application form</i>
Quantity of fuel required (in TPD) and capacity of boilers/ Furnace/Thermo heater etc.	<i>ELECTRICITY with all induction furnaces Diesel @ 10 Ltr/day with 01 No. D.G set of capacity 500 KVA Diesel @ 05 Ltr/day with 01 No. D.G set of capacity 160 KVA</i>
Type of Air Pollution Control Devices to be installed	<i>Spark arrester followed by bag filter house as APCD with each induction furnace Canopy provided with D.G sets</i>
Stack height provided with each boiler/thermo heater/Furnace etc.	<i>Stack of height of 21.96 Mtr with Induction furnaces of capacity 05 ton/heat. Stack of height of 25.91 Mtr with Induction furnaces of capacity 05 ton/heat. Stack of height of 19.81 Mtr with Induction furnaces of capacity 05 ton/heat. Stack of height of 25.91 Mtr with Induction furnaces of capacity 06 ton/heat. Stack of height of 05 Mtr above roof level with 01 No. D.G set of capacity 500 KVA Stack of height of 03 Mtr above roof level with 01 No. D.G set of capacity 160 KVA</i>
Sources of emissions and type of pollutants	<i>03 no. electric Induction furnaces of capacity 05 ton/heat each. 01 no. electric Induction furnaces of capacity 06 ton/heat 01 No. D.G set of capacity 500 KVA 01 No. D.G set of capacity 160 KVA</i>
Standards to be achieved under Air(Prevention & Control of Pollution) Act, 1981	<i>As prescribed by the Board/MoEF & CC, New Delhi</i>



13/10/2020

(Ravinder Bhatti)
Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)

Endst. No.:

Dated:

A copy of the above is forwarded to the following for information and necessary action please:

"This is computer generated document from OCMMS by PPCB"

Allied Recycling Limited, Vpo: Budhewal, Chandigarh Road, Ludhiana East, Ludhiana I, 141112

Page2

Environmental Engineer, Punjab Pollution Control Board, Regional Office-1, Ludhiana for information and necessary action.



13/10/2020

(Ravinder Bhatti)
Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)



"This is computer generated document from OCMMS by PPCB"

Allied Recycling Limited, Vpo: Budhewal, Chandigarh Road, Ludhiana East, Ludhiana I, 141112

Page 3

TERMS AND CONDITIONS

A. GENERAL CONDITIONS

1. This consent is not valid for getting power load from the Punjab State Power Corporation Ltd. or for getting loan from the financial institutions.
2. The industry shall apply for renewal /extension of consent at least two months before expiry of the consent.
3. The industry shall not violate any of the norms prescribed under the Air (Prevention & Control of Pollution) Act, 1981, failing which, the consent shall be cancelled / revoked.
4. The achievement of adequacy and efficiency of the air pollution control devices installed shall be the entire responsibility of the industry
5. The authorized fuel being used shall not be changed without the prior written permission of the Board.
6. The industry shall not discharge any fugitive emissions. All gases shall be emitted through a stack of suitable height, as per the norms fixed by the Board from time to time.
7. The industry shall provide port-holes, platforms and/or other necessary facilities as may be required for collecting samples of emissions from any chimney, flue or duct or any other outlets.

Specifications of the port-holes shall be as under:-

- i) The sampling ports shall be provided atleast 8 times chimney diameter downstream and 2 times upstream from the flow disturbance. For a rectangular cross section the equivalent diameter (D_e) shall be calculated from the following equation to determine upstream, downstream distance:-
$$D_e = 2 LW / (L+W)$$

Where L= length in mts. W= Width in mts.
 - ii) The sampling port shall be 7 to 10 cm in diameter
8. The industry shall put display Board indicating environmental data in the prescribed format at the main entrance gate.
 9. The industry shall discharge all gases through a stack of minimum height as specified in the following standards laid down by the Board.

(i) Stack height for boiler plants

S.NO.	Boiler with Steam Generating Capacity	Stack heights
1.	Less than 2 ton/hr.	9 meters or 2.5 times the height of neighboring building which ever is more
2.	More than 2 ton/hr. to 5 ton/hr.	12 meters
3.	More than 5 ton/hr. to 10 ton/hr	15 meters
4.	More than 10 ton/hr. to 15 ton/hr	18 meters
5.	More than 15 ton/hr. to 20 ton/hr	21 meters
6.	More than 20 ton/hr. to 25 ton/hr.	24 meters
7.	More than 25 ton/hr. to 30 ton/hr.	27 meters
8.	More than 30 ton/hr.	30 meters or using the formula $H = 14 Q_g^{0.3}$ $H = 74 (Q_p)^{0.24}$ Where Q_g = Quantity of SO ₂ in Kg/hr. Q_p = Quantity of particulate matter in Ton/day.

Note : Minimum Stack height in all cases shall be 9.0 mtr. or as calculated from relevant formula whichever is more.

(ii) For industrial furnaces and kilns, the criteria for selection of stack height would be based on fuel used for the corresponding steam generation.

(iii) Stack height for diesel generating sets:

Capacity of diesel generating set	Height of the Stack	
0-50 KVA	Height of the building	+ 1.5 mt
50-100 KVA	-do-	+ 2.0 mt.
100-150 KVA	-do-	+ 2.5 mt.
150-200 KVA	-do-	+ 3.0 mt.
200-250 KVA	-do-	+ 3.5 mt.
250-300 KVA	-do-	+ 3.5 mt.

For higher KVA rating stack height H (in meter) shall be worked out according to the formula:

$$H = h + 0.2 (KVA)^{0.5}$$

where h = height of the building in meters where the generator set is installed.

10. The pollution control devices shall be interlocked with the manufacturing process of the industry to ensure its regular operation.
11. The existing pollution control equipment shall be altered or replaced in accordance with the directions of the Board, and no pollution control equipment or chimney shall be altered or as the case may be erected or re-erected except with the prior approval of the Board.
12. The industry will provide canopy and adequate stack with the D.G sets so as to comply with the provision of notification No GSR-371 E dated 17-5-2002(amended from time to time) issued by MOEF under Environment (Protection) Act, 1986.
13. The Govt. of Punjab, Department of Science, Technology & Environment vide its notification no.4/46/92-3ST/2839 dt. 29/12/1993 has put prohibition on the use of rice husk as fuel after 1.4.1995 except the following:-
In the form of briquettes and use of rice husk in fluidized bed combustion. So the industry shall make the necessary arrangement to comply with the above notification.
14. The industry shall submit balance sheet of every financial year to the concerned Regional Office by 30th June of every year
15. That the industry shall submit a yearly certificate to the effect that no addition / up-gradation/ modification/ modernization has been carried out during the previous year otherwise the industry shall apply for the varied consent.
16.
 - a) The industry shall ensure that at any time the emission do not exceed the prescribed emissions standards laid down by the Board from time to time for such type of industry /emissions.
 - b) The industry shall ensure that the emissions from each stack shall conform to the following emission standards laid down by the Board in respect of the Industrial Boilers.

Steam Generating capacity A.	Required particulate matter B.	
<i>Area upto 5 Km from Other than 'A' class Other than the periphery of I and Class-II town</i>		
<i>Less than 2 ton/hr.</i>	800 mg/NM3	1200 mg/NM3
<i>2 ton to 10 ton/hr.</i>	500 mg/NM3	1000 mg/NM3
<i>Above 10 ton to 15 ton/hr</i>	350 mg/NM3	500 mg/NM3
<i>Above 15 ton/hr</i>	150 mg/NM3	150 mg/NM3

All emissions normalized to 12% carbon dioxide.

17. The industry shall ensure that the Hazardous Wastes generated from the premises are handled as per the provisions of the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008, without any adverse effect on the environment, in any manner.
18. The air pollution control equipments shall be kept at all time in good running condition and;

- (i) All failures of control equipments.
 - (ii) The emissions of any air pollutant into the atmosphere in excess of the standards lay down by the Board occurring or being apprehended to occur due to accident or other unforeseen act or event. 'Shall be intimated through fax to the concerned Regional Office as well as to the Director of Factories, Punjab, Chandigarh as required under rule 10 of the Punjab State Board for the Prevention and Control of Air Pollution Rules, 1983'.
19. The industry shall plant minimum of three suitable varieties of trees at the density of not less than 1000 trees per hectare all along the boundary of the industrial premises.
 20. The industry shall submit a site emergency plan approved by the Chief Inspector of Factories, Punjab as applicable.
 21. The industry shall comply with the conditions imposed by the SEIAA/MOEF in the Environmental Clearance granted to it as required under EIA notification dated 14/9/06, if applicable.
 22. The industry shall make necessary arrangements for the monitoring of stack emissions and shall get its emissions analyzed from lab approved / authorized by the Board:-
 - (i) Once in Year for Small Scale Industries.
 - (ii) Twice/thrice/four time in a Year for Large/Medium Scale Industries.
 23. The industry shall maintain the following record to the satisfaction of the Board :-
 - (i) Log books for running of air pollution control devices or pumps/motors used for it.
 - (ii) Register showing the result of various tests conducted by the industry for monitoring of stack emissions and ambient air.
 - (iii) Register showing the stock of absorbents and other chemicals to be used for scrubbers.
 24. The industry will install the separate energy meter for running pollution control devices and shall maintain record with respect to operation of air pollution control device so as to satisfy the Board regarding the regular operation of air pollution control device and monthly reading / record may be sent to the Board by the fifth of the following month.
 25. The industry shall provide online monitoring system as applicable, for in stack emission and shall maintain the record of the same for inspection of the Board Officers.
 26. The Board reserves the right to revoke the consent granted to the industry at any time, in case the industry is found violating the provisions of Air (Prevention & Control of Pollution) Act, 1981 as amended from time to time.
 27. The industry shall comply with any other conditions laid down or directions issued in due course by the Board under the provisions of the Air (Prevention & Control of Pollution) Act, 1981.
 28. Nothing in this consent shall be deemed to neither preclude the institution of any legal action nor relieve the applicant from any responsibilities, liabilities or penalties to which the applicant is or may be subjected to under this or any other Act.
 29. Any amendments/revisions made by the Board/CPCB/MOEF in the emission/stack height standards shall be applicable to the industry from the date of such amendments/revisions.
 30. The industry shall dispose off its solid waste generated by the burning of fuel in an Environmentally Sound Manner within the premises/outside as approved by the Board, to avoid public nuisance and air pollution problem in the area.
 31. The industry shall ensure that no air pollution problem or public nuisance is created in the area due to the discharge of emissions from the industry.
 32. The industry shall provide adequate arrangement for fighting the accidental leakage/discharge of any air pollutant/gas/ liquids from the vessels, mechanical equipment's etc, which are likely to cause environmental pollution.
 33. The industry shall not change or alter the manufacturing process(es) and fuel so as to change the quality/quantity of emissions generated without the prior permission of the Board.
 34. The industry shall earmark a land within their premises for disposal of boiler ash in an environmentally sound manner, and / or the industry shall make necessary arrangements for proper disposal of fuel ash in a scientific manner and shall maintain proper record for the same, if applicable.
 35. The industry shall obtain and submit Insurance cover under the Public Liability Insurance Act, 1991.
 36. The industry shall provide proper and adequate air pollution control arrangements for control emission from its fuel handling area, if applicable.

37. The industry shall comply with the code of practice as notified by the Government/Board for the type of industries where the siting guidelines / Code of Practice have been notified.
38. The industry shall not cause any nuisance/traffic hazard in vicinity of the area
39. The industry shall ensure that the noise & air emission from D.G. sets do not exceed the standards prescribed for D.G. sets by the Ministry of Environment & Forests, New Delhi.
40. The industry shall ensure that there will not be significant visible dust emissions beyond the property line
41. The industry shall provide adequate and appropriate air pollution control devices to contain emissions from handling, transportation and processing of raw material & product of the industry.
42. The Industry shall ensure that its production capacity does not exceed the capacity mentioned in the consent and shall not carry out any expansion without the prior permission / NOC of the Board.

B. SPECIAL CONDITIONS

1. The industry shall appoint dedicated staff for operation / maintenance of APCD's / collection system.
2. The industry shall implement the Standard Operating Procedures (SOPs) prepared by Punjab State Council for Science & Technology for APCD in toto so as to achieve the prescribed standards on a regular basis.



13/10/2020

(Ravinder Bhatti)
Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)



PUNJAB POLLUTION CONTROL BOARD

Zonal Office-I, E-648-B, Focal Point, Phase-5, Ludhiana

Website:- www.ppcb.gov.in

Office Dispatch No :

Registered/Speed Post

Date:

Industry Registration ID: R12LDH123012

Application No : 13249336

To,

Vijay Abrol
H.no.773-b, Aggar Nagar, Ludhiana, 141002, Punjab, India
Ludhiana,Ludhiana-141012

Subject: Grant Varied 'Consent to Operate'an outlet u/s 25/26 of Water (Prevention & Control of Pollution) Act, 1974 for discharge of effluent.

With reference to your application for obtaining Varied i½Consent to Operatei½an outlet for discharge of the effluent u/s 25/26 of Water (Prevention & Control of Pollution) Act, 1974, you are, hereby, authorized to operate an industrial unit fordischarge of the effluent(s) arising out of your premises subject to the Terms and Conditions as mentioned in this Certificate

1. Particulars of Consent to Operate under Water Act, 1974 granted to the industry

Consent to Operate Certificate No.	CTOW/Varied/LDH1/2020/13249336
Date of issue :	05/10/2020
Date of expiry :	30/06/2025
Certificate Type :	Varied
Previous CTO No. & Validity :	CTE/Exp/LDH1/2020/12101474 From:20/07/2020 To:19/07/2021

2. Particulars of the Industry

Name & Designation of the Applicant	Vijay Abrol, (Director)
Address of Industrial premises	Allied Recycling Limited, Vpo: Budhewal, Chandigarh Road, Ludhiana East,Ludhiana I-141112
Capital Investment of the Industry	5432.92 lakhs
Category of Industry	Red
Type of Industry	Integrated Iron and Steel
Scale of the Industry	Large
Office District	Ludhiana I
Consent Fee Details	Rs. 4,20,000/- vide R no. 97115767 dated 24.07.2020 under Water Act, 1974. Rs. 4,20,000/- vide R no. 19411551 dated 24.07.2020 under Air Act, 1981. Adequate up to 30.06.2025
Raw Materials(Name with quantity per day)	IRON SCRAP/SPONGE IRON @ 388.5 Metric Tonnes/Day FERRO ALLOYS @ 4.000 Metric Tonnes/Day STEEL BILLET @ 373 Metric Tonnes/Day

"This is computer generated document from OCMMS by PPCB"

Allied Recycling Limited,Vpo: Budhewal, Chandigarh Road,Ludhiana East,Ludhiana I,141112

Page1

Products (Name with quantity per day)	<i>STEEL BILLET @ 378 Metric Tonnes/Day WIRE ROD @ 360 Metric Tonnes/Day</i>
By-Products, if any,(Name with quantity per day)	<i>END CUTTING-BILLET @ 7.500 Metric Tonnes/Day END CUTTING-WIRE ROD @ 6.000 Metric Tonnes/Day</i>
Details of the machinery and processes	<i>As per application form</i>
Details of the Effluent Treatment Plant	<i>There is no generation of any trade effluent, hence ETP not required</i>
Mode of Disposal	<i>Domestic Effluent @ 10.0 KLD- Onto land for plantation after septic tank</i>
Standards to be achieved under Water(Prevention & Control of Pollution) Act, 1974	<i>As prescribed by the Board/MoEF & CC, New Delhi</i>



05/10/2020

(Ravinder Bhatti)
Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)

Endst. No.:

Dated:

A copy of the above is forwarded to the following for information and necessary action please:

Environmental Engineer, Punjab Pollution Control Board, Regional Office-1, Ludhiana for information and necessary action.



05/10/2020

(Ravinder Bhatti)
Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)

"This is computer generated document from OCMMS by PPCB"

Allied Recycling Limited, Vpo: Budhewal, Chandigarh Road, Ludhiana East, Ludhiana I, 141112

Page2

TERMS AND CONDITIONS

A. GENERAL CONDITIONS

1. This consent is not valid for getting power load from the Punjab State Power Corporation Limited or for getting loan from the financial institutions.
2. The industry shall apply for renewal/further extension in validity of consent atleast two months before expiry of the consent.
3. The industry shall ensure that the effluent discharging through the authorized outlet shall confirm to the prescribed standards as applicable from time to time.
4. The industry shall plant minimum of three suitable varieties of trees at the density of not less than 1000 trees per hectare all along the boundary of the industrial premises.
5. The achievement of the adequacy and efficiency of the effluent treatment plant/pollution control devices/re-circulation system installed shall be the entire responsibility of the industry.
6. The industry shall ensure that the Hazardous Wastes generated from the premises are handled as per the provisions of the Hazardous Wastes(Management, Handling and Trans boundary Movement) Rules, 2008 as amended time to time , without any adverse effect on the environment, in any manner
7. The responsibility to monitor the effluent discharged from the authorized outlet and to maintain a record of the same rests with the industry. The Board shall only test check the accuracy of these reports for which the industry shall deposit the samples collection and testing fee with the Board as and when required.
8. The industry shall submit balance sheet of every financial year to the concerned Regional Office by 30th June of every year.
9. The industry shall submit a yearly certificate to the effect that no addition/up-gradation/ modification/modernization has been carried out during the previous year otherwise the industry shall apply for the varied consent.
10. During the period beginning from the date of issuance and the date of expiration of this consent, the applicant shall not discharge floating solids or visible foam.
11. Any amendments/revisions made by the Board in the tolerance limits for discharges shall be applicable to the industry from the date of such amendments/revisions.
12. The industry shall not change or alter the manufacturing process(es) so as to change the quality and/or quantity of the effluents generated without the written permission of the Board.
13. Any upset conditions in the plant/plants of the factory, which is likely to result in increased effluent and/or result in violation of the standards lay down by the Board shall be reported to the Environmental Engineer, Punjab Pollution Control Board of concerned Regional Office immediately failing which any stoppage and upset conditions that come to the notice of the Board/its officers, will be deemed to be intentional violation of the conditions of consent.
14. The industry shall provide terminal manhole(s) at the end of each collection system and a manhole upstream of final outlet (s) out of the premises of the industry for measurement of flow and for taking samples.
15. The industry shall for the purpose of measuring and recording the quantity of water consumed and effluent discharged, affix meters of such standards and at such places as approved by the Environmental Engineer, Punjab Pollution Control Board of the concerned Regional Office.
16. The industry shall maintain record regarding the operation of effluent treatment plant i.e. record of quantity of chemicals and energy utilized for treatment and sludge generated from treatment so as to satisfy the Board regarding regular and proper operation of pollution control equipment.
17. The industry shall provide online monitoring equipment^{1/2}s for the parameters as decided by concerned Regional Office with the effluent treatment plant/air pollution control devices installed, if applicable.
18. The pollution control devices shall be interlocked with the manufacturing process of the industry.
19. The authorized outlet and mode of disposal shall not be changed without the prior written permission of the Board.
20. The industry shall comply with the conditions imposed by the SEIAA / MOEF in the environmental clearance granted to it as required under EIA notification dated 14/9/06, if applicable.
21. The industry shall obtain and submit Insurance cover as required under the Public Liability Insurance Act, 1991.
22. The industry shall not use any unauthorized out-let(s) for discharging effluents from its premises. All unauthorized outlets, if any, shall be connected to the authorized outlet within one month from the date of issue of this consent.

23. The industry shall make necessary arrangements for the monitoring of effluent being discharged by the industry and shall monitor its effluents:-
 - (i) Once in Year for Small Scale Industries.
 - (ii) Four in a Year for Large/Medium Scale Industries.
 - (iii) The industry will submit monthly reading/ data of the separate energy meter installed for running of effluent treatment plant/re-circulation system to the concerned Regional Office of the Board by the 5th of the following month.
24. The industry shall provide electromagnetic flow meters at the source of water supply, at inlet/outlet of effluent treatment plant within one month and shall maintain the record of the daily reading and submit the same to the concerned Regional Office by the 5th of the following month.
25. The Board reserves the right to revoke this consent at any time in case the industry is found violating any of the conditions of this consent and/or the provisions of Water (Prevention & Control of Pollution) Act, 1974 as amended from time to time.
26. The issuance of this consent does not convey any property right in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights, nor any infringement of Central, State or Local Laws or Regulations.
27. The consent does not authorize or approve the construction of any physical structures or facilities for undertaking of any work in any natural watercourse.
28. Nothing in this consent shall be deemed to neither preclude the institution of any legal action nor relieve the applicant from any responsibilities, liabilities or penalties to which the applicant is or may be subjected under this or any other Act.
29. The industry shall make necessary and adequate arrangements to hold back the effluent in case of failure of septic tank.
30. The diversion or bye pass of any discharge from facilities utilized by the applicant to maintain compliance with the terms and conditions of this consent is prohibited except.
 - (i) Where unavoidable to prevent loss of life or some property damage or
 - (ii) Where excessive storm drainage or run off would damage facilities necessary for compliance with terms and conditions of this consent. The applicant shall immediately notify the consent issuing authority in writing of each such diversion or bye-pass.
31. The industry shall ensure that no water pollution problem is created in the area due to discharge of effluents from its industrial premises.
32. The industry shall comply with the code of practice as notified by the Government/ Board for the type of industries where the siting guidelines/ code of practice have been notified.
33. Solids, sludge, filter backwash or other pollutant removed from or resulting from treatment or control of waste waters shall be disposed off in such a manner to prevent any pollutants from such materials from entering into natural water.
34. The industry shall re-circulate the entire cooling water and shall also re-circulate/reuse to the maximum extent the treated effluent in processes
35. The industry shall make necessary and adequate arrangements to hold back the effluent in case of failure of re-circulation system/ effluent treatment plant.
36. The industry shall make proper disposal of the effluent so as to ensure that no stagnation occurs inside and outside the industrial premises during rainy season and no demand period.
37. Where excessive storm water drainage or run off, would damage facilities necessary for compliance with terms and conditions of this consent, the applicant shall immediately notify the consent issuing authority in writing of each such diversion or bye-pass.
38. The industry shall submit a detailed plan showing therein the distribution system for conveying waste-water for application on land for irrigation along with the crop pattern for the year.
39. The industry shall ensure that the effluent discharged by it is toxicity free.
40. The industry shall not irrigate the vegetable crops with the treated effluents which are used/ consumed as raw.
41. Drains causing oil & grease contamination shall will be segregated. Oil & grease trap shall be provided to recover oil & grease from the effluent.

42. The industry shall establish sufficient number of piezometer wells in consultation with the concerned Regional Office, of the Board to monitor the impact on the Ground Water Quantity due to the industrial operations, and the monitoring shall be submitted to the Environmental Engineer of the concerned Regional Office by the 5th of every month.
43. The industry shall ensure that its production capacity & quantity of trade effluent do not exceed the quantity mentioned in the consent and shall not carry out any expansion without the prior permission/NOC of the Board.




05/10/2020

(Ravinder Bhatti)
Environmental Engineer

For & on behalf
of

(Punjab Pollution Control Board)



TEST REPORT



TC-7477

ULR No. : TC747721000002883F		Test Report No. : EL210521NW003	
Type of Sample : Water (Ground Water)		Date of Reporting : 24/05/2021	
Customer	Allied Recycling Limited Project at Village Budhewal, Chandigarh Road, Ludhiana, Punjab	Work Order No. & Date	EL/ARL/TEL/1333 Dt.: 10/05/2021
		Customer reference No. (If any)	NA
Sampling Protocol	IS:3025 (P-1) 1987 RA 2019	Mode of Collection of Sample	Sampling by laboratory
Date of Sampling	21/05/2021	Date of Receipt of Sample	21/05/2021
Sampling Location	From Borewell Near Main Office	Testing Location	Permanent Facility
Testing Protocol	IS 10500 : 2012 (Second Revision)	Period of Analysis	21/05/2021 To 24/05/2021
Sample Description	Clear, colourless liquid.		
Packing, Markings, Seal & Qty.	2 litre Plastic & 250ml Glass Bottle Marked 'B/21/02'		

RESULTS

I -Chemical Testing

1. Water (Ground Water)

S.No.	Test Parameter	Unit	Result	Acceptable limit	Permissible limit in absence of alternate source	Test Method
1	Colour	Colour Units	BDL(DL5)	5	15	IS:3025(P-4):1983 RA2017
2	Odour	-	Agreeable	Agreeable	Agreeable	IS: 3025 (P-5): 1983 RA 2018
3	pH	-	7.26	6.5-8.5	No relaxation	IS:3025(P-11): 1984RA2017
4	Turbidity	NTU	BDL(DL0.1)	1	5	IS:3025(P-10):1984 RA2017
5	Chloride	mg/l	53	250	1000	IS:3025(P-32) :1988 RA2019
6	Iron	mg/l	0.22	1.0	No relaxation	IS:3025(P-53):2003 RA 2019
7	Total hardness	mg/l	270	200	600	IS:3025(P-21) :2009 RA2019

II -Biological Testing

1. Water (Ground Water)

S.No.	Test Parameter	Unit	Result	Acceptable limit	Permissible limit in absence of alternate source	Test Method
1	Total coliforms	CFU/100ml	Absent	Absent	-	IS:15185 :2016

Checked by QA

Simranjit Kaur
Authorized Signatory-Biological

Dr Rai Singh
Authorized Signatory-Chemical



TC-7477

ULR No. : TC747721000002883F
Type of Sample : Water (Ground Water)

Test Report No. : EL210521NW003
Date of Reporting : 24/05/2021

Remarks : NA

OTHER INFORMATION

Abbreviation : ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable
Terms & Conditions : Please refer terms and conditions on backside of Test Report (Page-1)

****End of Report****


Checked by QA


Simranjit Kaur
Authorized Signatory-Biological


Dr Rai Singh
Authorized Signatory-Chemical

TEST REPORT



ULR No. : NA		Test Report No. : EL210521NW003/A	
Type of Sample : Water (Ground Water)		Date of Reporting : 24/05/2021	
Customer	Allied Recycling Limited Project at Village Budhewal, Chandigarh Road, Ludhiana, Punjab	Work Order No. & Date	EL/ARL/TEL/1333 Dt.: 10/05/2021
		Customer reference No. (If any)	NA
Sampling Protocol	IS:3025 (P-1) 1987 RA 2019	Mode of Collection of Sample	Sampling by laboratory
Date of Sampling	21/05/2021	Date of Receipt of Sample	21/05/2021
Sampling Location	From Borewell Near Main Office	Testing Location	Permanent Facility
Testing Protocol	IS 10500 : 2012 (Second Revision)	Period of Analysis	21/05/2021 To 24/05/2021
Sample Description	Clear, colourless liquid.		
Packing, Markings, Seal & Qty.	2 litre Plastic & 250ml Glass Bottle Marked 'B/21/02'		

RESULTS

II -Biological Testing

1. Water (Ground Water)

S.No.	Test Parameter	Unit	Result	Acceptable limit	Permissible limit in absence of alternate source	Test Method
1	Escherichia coli	CFU/100ml	Absent	Absent	-	IS:15185:2016

Remarks : This test report is the part of Test Report No.EL210521NW003

OTHER INFORMATION

Abbreviation : ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions : Please refer terms and conditions on backside of Test Report (Page-1)

End of Report

Checked by QA

Format No. F/7.8.2-W-01-18.06.20 Rev 05

Simranjit Kaur
Authorized Signatory-Biological



Page No. 1/1

TEST REPORT



ULR No. : TC747721000002882F		Test Report No. : EL210521NS002	
Type of Sample : Soil		Date of Reporting : 24/05/2021	
Customer	Allied Recycling Limited Project at Village Budhewal, Chandigarh Road, Ludhiana, Punjab	Work Order No. & Date	EL/ARL/TEL/1333 Dt.: 10/05/2021
		Customer reference No. (If any)	NA
Sampling Protocol	USEPA/600/R-92/128	Mode of Collection of Sample	Sampling by laboratory
Date of Sampling	21/05/2021	Date of Receipt of Sample	21/05/2021
Sampling Location	From Plant Back Site	Testing Location	Permanent Facility
Testing Protocol	IS Method	Period of Analysis	21/05/2021 To 24/05/2021
Sample Description	Brown colored soil.		
Packing, Markings, Seal & Qty.	5 Kg Poly Bag Marked 'S/21/02'		

RESULTS

I. Chemical Testing

1. Pollution & Environment (Soil)

S.No.	Test Parameter	Unit	Result	Test Method
1	pH	--	7.37	IS: 2720 (P-26) 1987 RA2016
2	Conductivity	mmhos/cm	0.329	IS:14767: 2000 RA2016
3	Moisture Content	%	9.3	IS: 2720 (P-II) 1973 R 2015
4	Organic Matter	%	1.24	IS: 2720 (Part XXII) 1972 R2015
5	Texture	--	Sandy loam	IS: 2720(P- 4) 1985 RA 2015
6	Bulk Density	gm/cc	1.61	IS: 2720(P - VII):1980 RA 2016

Remarks : NA

OTHER INFORMATION

Abbreviation :

ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions :

Please refer terms and conditions on backside of Test Report (Page-1)

End of Report


Checked by QA


Dr Rai Singh
Authorized Signatory-Chemical

TEST REPORT



ULR No. : TC747721000002904F		Test Report No. : EL220521NA002	
Type of Sample : Ambient Air Quality		Date of Reporting : 24/05/2021	
Customer	Allied Recycling Limited Project at Village Budhewal, Chandigarh Road, Ludhiana, Punjab	Work Order No. & Date	EL/ARL/TEL/1333 Dt.: 10/05/2021
		Customer reference No. (If any)	NA
Sampling Protocol	IS:5182 and CPCB Air Manual Volume-I (NAAQMS/36/2012-13) / CPCBNAAQS-2009	Mode of Collection of Sample	Sampling by laboratory
Date of Sampling	21/05/2021	Date of Receipt of Sample	22/05/2021
Sampling Location	Near Main Gate	Period of Analysis	22/05/2021 To 24/05/2021
Testing Protocol	IS:5182 and CPCB Air Manual Volume-I (NAAQMS/36/2012-13) / CPCBNAAQS-2009	Environmental Conditions	Clear sky*
Testing Location	Site Testing & Permanent Facility		

RESULTS

I-Chemical Testing

1. Atmospheric Pollution (Ambient Air)

S.No.	Test Parameter	Unit	Result	Standard	Method
1	Particulate Matter (as PM10)	µg/m ³	91	100	IS: 5182 (Part-23) : 2006, RA 2017
2	Particulate Matter (as PM2.5)	µg/m ³	55	60	Lab SOP: EL/SOP/AAQ/01
3	Sulphur Dioxide (as SO ₂)	µg/m ³	18	80	IS: 5182 (Part-2) : 2001, RA 2017
4	Nitrogen Dioxide (as NO ₂)	µg/m ³	29	80	IS: 5182 (Part-6) : 2006, RA 2017
5	Ammonia (as NH ₃)	µg/m ³	21	400	Lab SOP: EL/SOP/AAQ/02
6	Ozone (as O ₃)	µg/m ³	26	180	IS: 5182 (Part-9) : 1974, RA 2019
7	Carbon Monoxide (as CO)	mg/m ³	0.96	04	IS: 5182 (Part-10) :1999, RA 2019

Remarks : *Rainfall on previous day (Early Morning of 20/05/21)

OTHER INFORMATION

Abbreviation : ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions : Please refer terms and conditions on backside of Test Report (Page-1)

End of Report

Checked by QA

Dr Rai Singh

Authorized Signatory-Chemical

Format No.: F/7.8.2-AA-01-26.11.19 Rev 04

Page No. 1/1

TEST REPORT



ULR No. : TC74772100002905F		Test Report No. : EL220521NN002	
Type of Sample : Ambient Noise		Date of Reporting : 24/05/2021	
Customer	Allied Recycling Limited Project at Village Budhewal, Chandigarh Road, Ludhiana, Punjab	Work Order No. & Date	EL/ARL/TEL/1333 Dt.: 10/05/2021
		Customer reference No. (If any)	NA
Sampling Protocol	IS 9989-1989, RA 2008	Mode of Collection of Sample	Sampling by laboratory
Date of Sampling	21/05/2021	Date of Receipt of Sample	22/05/2021
Sampling Location	Near Main Gate	Period of Analysis	22/05/2021 To 22/05/2021
Testing Protocol	IS 9989-1989, RA 2008		
Testing Location	Site Testing		

RESULTS

I- Chemical Testing

1. Atmospheric Pollution (Ambient Noise Level)

S.No.	Test Parameters	Units	Results	Method
1	Ambient Day Time Noise Levels	dB(A)	72.4	LAB SOP: EL/SOP/NL/01

Ambient Noise Quality Standards as per Noise Pollution (Regulation and Control) Rules, 2000

Area Code	Category of Area/Zone	Limits in dB(A) Leq*	
		Day Time	Night Time
A	Industrial area	75	70
B	Commercial area	65	55
C	Residential area	55	45
D	Silence Zone	50	40

Day time shall mean from 6.00 a.m. to 10.00 p.m., Night time shall mean from 10.00 p.m. to 6.00 a.m., Silence zone is an area comprising not less than 100 meters around hospitals, educational institutions, courts, religious places or any other area which is declared as such by the competent authority, Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

*dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale 'A' which is relatable to human hearing

Remarks : NA

OTHER INFORMATION

Abbreviation : ULR: Unique Lab Report, BDL: Below Detection Level, NA: Not Applicable

Terms & Conditions : Please refer terms and conditions on backside of Test Report (Page-1)

****End of Report****

Tau
Checked by QA



Dr Rai Singh

Authorized Signatory-Chemical



EMPLOYEES' STATE INSURANCE CORPORATION
Return of Declaration Form
Regulation 14

Annexure 6

Name & Address of Factory or Establishment

Allied Recycling Ltd.
VPO Budhewal Chandigarh Road,
Ludhiana.

Employer's Code No.

26000442310000599

I send herewith Declaration Forms in respect of the employees mentioned below. I hereby declare that every person employed as an employee within the meaning of Section 2(9) of the Employees' State Insurance Act, 1948 on in this factory or establishment and in respect of a remuneration not exceeding Rs. 15,000/- (excluding remuneration for overtime work) per month has been included in this list (excepting only those in respect of whom declaration forms have been sent to the Corporation in the past).

Place

Local Office

Date

28/12/2020

Designation

SI No	Employee Name	Insurance No.	From Date.	To Date.	Exemption Status.	Registration Date
1	ABHAY KUMAR	2614067255	--	--	NO	16-10-2020
2	ACHCHELAL CHAUHAN	2613346521	--	--	NO	22-03-2017
3	AJAY PATHAK	2614018936	--	--	NO	21-07-2020
4	AJIT KUMAR PANDEY	2610179024	--	--	NO	10-06-2014
5	AMAR KISHORE	2612914454	--	--	NO	05-07-2014
6	AMAR KR SINGH	2611046477	--	--	NO	15-05-2013
7	AMRITPAL SINGH	2613899778	--	--	NO	19-11-2019

SI No	Employee Name	Insurance No.	From Date.	To Date.	Exemption Status.	Registration Date
8	ANIRUDH PARSHAD	2612391917	--	--	NO	10-02-2017
9	ANKUSH RATHI	2612640915	--	--	NO	03-02-2015
10	ARMAN	2614062137	--	--	NO	08-10-2020
11	BABADEEN	2613674970	--	--	NO	18-10-2018
12	BABLU RAI	2612640582	--	--	NO	10-08-2019
13	BABLU RAM	2613710274	--	--	NO	05-01-2019
14	BINAY KUMAR SINGH	2613710212	--	--	NO	18-09-2019
15	BIRENDER RABANI	2610182135	--	--	NO	06-02-2019
16	CHANDAN KUMAR YADAV	2613674979	--	--	NO	18-10-2018
17	CHANDESHWAR RAI	2610175472	--	--	NO	03-01-2018
18	DAVINDER SINGH	2610182131	--	--	NO	11-06-2013
19	DEEPAK	2613515480	--	--	NO	07-08-2020
20	DHARMENDER KUMAR YADAV	2614049428	--	--	NO	17-09-2020
21	DILDAR SINGH	2614102561	--	--	NO	25-12-2020
22	FATEH SINGH	2613481356	--	--	NO	10-08-2020
23	GAGANDEEP SINGH	2614083921	--	--	NO	20-11-2020

SI No	Employee Name	Insurance No.	From Date.	To Date.	Exemption Status.	Registration Date
24	GAJENDRA KUMAR	2613710204	--	--	NO	16-09-2020
25	GURINDER SINGH	2614060823	--	--	NO	06-10-2020
26	GURMEET SINGH	2613600678	--	--	NO	22-06-2018
27	GURPREET SINGH	2613436812	--	--	NO	09-08-2017
28	GURPREET SINGH	2613580909	--	--	NO	22-05-2018
29	GURSIMERJIT SINGH	2612835159	--	--	NO	09-08-2019
30	HARJIT SINGH	2613695572	--	--	NO	06-12-2018
31	HARPREET SINGH	2613275547	--	--	NO	04-06-2018
32	HIRA LAL YADAV	2610174054	--	--	NO	04-05-2019
33	JAGDEEP SINGH	2613515564	--	--	NO	04-02-2020
34	JAGDISH SINGH	2614062855	--	--	NO	09-10-2020
35	JAGTAR SINGH	2609904703	--	--	NO	03-01-2013
36	JANARDAN RAJBHAR	2613710296	--	--	NO	21-07-2020
37	JASMEL SINGH	1214602148	--	--	NO	07-09-2018
38	JASPAL SINGH	2614062866	--	--	NO	09-10-2020
39	JASWANT SINGH	2613278273	--	--	NO	16-10-2020

SI No	Employee Name	Insurance No.	From Date.	To Date.	Exemption Status.	Registration Date
40	JITENDRA KUMAR	2613566023	--	--	NO	14-08-2020
41	JITU KUMAR	2613519572	--	--	NO	06-10-2020
42	KAMESHWAR YADAV	2613710221	--	--	NO	16-09-2020
43	KARAMJEET SINGH	2613533239	--	--	NO	11-03-2020
44	KASHI NATH	2612487024	--	--	NO	20-07-2018
45	KHILA SINGH	2611046473	--	--	NO	25-09-2015
46	KOMALPREET SINGH	6111336960	--	--	NO	07-08-2020
47	KRIPA SHANKAR	2613507640	--	--	NO	21-09-2020
48	KULDEEP KUMAR	2613275501	--	--	NO	21-07-2020
49	LAKSHMAN KUMAR	2613710287	--	--	NO	07-08-2020
50	LOKNATH BHAGAT	2613546846	--	--	NO	21-11-2020
51	MAAN SINGH	2613444994	--	--	NO	19-08-2017
52	MANDEEP SINGH	2613515577	--	--	NO	05-01-2018
53	MANISH KUMAR	2613499469	--	--	NO	07-12-2017
54	MAYARAM	2613805699	--	--	NO	11-07-2019
55	MD NOOR KUTUB	2613580920	--	--	NO	22-05-2018

SI No	Employee Name	Insurance No.	From Date.	To Date.	Exemption Status.	Registration Date
56	MEGHAN KUMAR	2614060394	--	--	NO	05-10-2020
57	MEHAR SINGH	2613444973	--	--	NO	19-08-2017
58	MITHLESH KUMAR	2610175829	--	--	NO	04-02-2020
59	MOHAN SINGH	2612470941	--	--	NO	18-06-2018
60	NAGENDRA PANDIT	2614062945	--	--	NO	09-10-2020
61	NAKUL KUMAR	2614101469	--	--	NO	23-12-2020
62	NAVEEN KUMAR	2613519554	--	--	NO	12-01-2018
63	ONKAR SINGH	2613006546	--	--	NO	21-09-2020
64	PRAMOD KUMAR	2613519381	--	--	NO	12-01-2018
65	RAJAN KUMAR DUBEY	2613515474	--	--	NO	17-09-2020
66	RAJBIR SINGH	2613832123	--	--	NO	22-08-2019
67	RAJIV KUMAR	2614049389	--	--	NO	17-09-2020
68	RAJKISHOR SAV	2613515504	--	--	NO	20-07-2018
69	RAJNISH TIWARI	2613507894	--	--	NO	22-12-2017
70	RAJPAL SINGH	2612465775	--	--	NO	19-02-2018
71	RAJU KUMAR	2614062833	--	--	NO	09-10-2020

SI No	Employee Name	Insurance No.	From Date.	To Date.	Exemption Status.	Registration Date
72	RANJAN KUMAR	2613519394	--	--	NO	05-10-2020
73	RANJEET YADAV	2611052615	--	--	NO	16-09-2020
74	RAVI PANDEY	2613519418	--	--	NO	12-01-2018
75	RAVIRANJAN KUMAR	2613899776	--	--	NO	19-11-2019
76	RIJAUL HAK	2614062887	--	--	NO	09-10-2020
77	RUPESH KUMAR	2611046483	--	--	NO	14-05-2012
78	SAJID MAQSOOD	2613519491	--	--	NO	08-10-2020
79	SANJAY KUMAR	2610174052	--	--	NO	16-09-2020
80	SANJEET SAHNI	2613674976	--	--	NO	08-10-2020
81	SANTOSH KUMAR	2612611850	--	--	NO	02-05-2019
82	SANTOSH KUMAR	2614102581	--	--	NO	25-12-2020
83	SAROJ SINGH	2613239512	--	--	NO	04-05-2019
84	SHINGARA SINGH	2613284786	--	--	NO	09-01-2017
85	SHIV NARAYAN YADAV	2613402351	--	--	NO	06-02-2019
86	SHIV PARSHAD YADAV	2612390615	--	--	NO	10-07-2013
87	SHUBAM KUMAR	2614062844	--	--	NO	09-10-2020

SI No	Employee Name	Insurance No.	From Date.	To Date.	Exemption Status.	Registration Date
88	SHYAM KUMAR	2614018813	--	--	NO	21-07-2020
89	SIKANDER SINGH	2612438429	--	--	NO	01-09-2012
90	SIMRANJOT SINGH	2614048863	--	--	NO	16-09-2020
91	SOBHA SINGH	2609304250	--	--	NO	21-04-2017
92	SONU KUMAR	2613546801	--	--	NO	15-12-2020
93	SUJEET KUMAR	2613710233	--	--	NO	07-08-2020
94	SUNIL KUMAR SINGH	2612486908	--	--	NO	25-12-2014
95	SURAJ LAL	2609425265	--	--	NO	22-05-2018
96	SURJEET KUMAR	2612857252	--	--	NO	17-06-2017
97	SURJIT SINGH	2614066871	--	--	NO	16-10-2020
98	SURYA PRATAP SINGH	2613648139	--	--	NO	21-07-2020
99	TUFAAN KUMAR SINGH	2613580942	--	--	NO	22-05-2018
100	VARUN KAPOOR	2613499454	--	--	NO	07-12-2017
101	VI JAY	2613533482	--	--	NO	10-02-2018
102	VINEET KUMAR	2614060832	--	--	NO	06-10-2020
103	VIPIN SINGH	2609066340	--	--	NO	05-01-2017

SI No	Employee Name	Insurance No.	From Date.	To Date.	Exemption Status.	Registration Date
104	VISHAL RAJBHAR	2613710305	--	--	NO	05-01-2019
105	VISHAL SINGH	2613710302	--	--	NO	21-07-2020
106	YOGESH SINGH SAMMAL	2613805708	--	--	NO	11-07-2019

Annexure 7

Annexure-C

Details of CSR/Socio-economic development activities undertaken since implementation of the expansion project.

S.No.	Date	Beneficiary	Details of activities	Amount (Rs.)
1.	17.12.16	Young Sports Club, Budhewal	Sports competitions and cultural activities.	11000.00
2.	14.04.12	Society for welfare of the Handicapped (Regd.), Patiala.	The society is running boarding school for deaf, dumb and blind children.	11000.00
3.	30.01.18	Crop Development Society of India, Ludhiana	Contribution towards seminar "Scientific Advances for Inclusive Development and Environmental Protection" organized by Punjab Agriculture University Ludhiana.	15000.00
4.	19.06.18	Shri Raghunath Hospital Society, Ludhiana.	A charitable hospital for the treatment poor and deprived section of society.	500000.00
5.	13.12.18	Social Action Group, Ludhiana	Under 'Ek Paryas, project the Group running institution for children with special needs.	100000.00
6.	12.02.19	Young Sports Club, Budhewal	Sports competitions and cultural activities.	21000.00
7.	18.03.19	Krishan Balrm Gaushala Trust (Regd.), Ludhiana	The Samiti is running a 'Goushala', a shelter home for abandoned and ill cows.	62000.00
8.	14.05.19	Shri Gobind Godham (Gow Sewa Samiti – Regd.), Ludhiana	The Samiti is running a 'Goushala', a shelter home for abandoned and ill cows.	100000.00
9.	13.11.19	Sports Council PSEB Patiala, Kohara.	Sports competitions and cultural activities organized by employees of Punjab State Power Corporation Limited.	10000.00
10.	26.03.20	Police Welfare Fund, Ludhiana.	The donation has been given to District Police administration for distribution of relief material to needy people in Ludhiana district during COVID-19 pandemic.	100000.00
11.	28.05.20	Shri Gobind Godham (Gow Sewa Samiti – Regd.), Ludhiana	The Samiti is running a 'Goushala', a shelter home for abandoned and ill cows.	101000.00
12.	22.06.20	Staff and Labour of Allied Recycling Limited.	Special assistance was provided to employees during lockdown due to COVID-19 pandemic.	879600.00
Total				1910600.00

For Allied Recycling Limited


Director



भारतीय स्टेट बैंक
State Bank Of India

(04073)-SME SUNDER NAGAR LUDHIANA
SUNDERNAGAR
LUDHIANA, DIST: LUDHIANA, PUNJAB 141008
Tel : 161 5203472 Fax : IFS Code : SBIN004073 SWIFT :

केवल 3 महीने के लिए वैध / VALID FOR 3 MONTHS ONLY

1 7 1 2 2 0 1 6
D D M M Y Y Y Y

PAY Young Sports Club.

को या उनके आदेश पर **OR ORDER**

रुपये **RUPEES Eleven Thousand only**

अदा करें ₹ 11000/-

खा. सं. 10331017129
A/c No

VALID UPTO ₹ 50 LACS AT NON-HOME BRANCH

CASH CREDIT A/C
PREFIX :
1516100004

*Hitesh
Abney*

ALLIED RECYCLING LIMITED

MULTI-CITY CHEQUE Payable at Par at All Branches of SBI

Please sign above

⑈ 33396 1 ⑈ 14 100 20 29 ⑈ 000 299 ⑈ 30

(Bimpy Bimpy)

ੴ ਸਤਿਨਾਮ ਵਾਹਿਗੁਰੂ

YOUNG SPORTS CLUB

Village Budhewal (Ludhiana)

(Regd. No. 587)

167

No.

Date : 17-12-20/6

Received with thanks from Sh./Smt. A weed recycling Ltd.


The Sum of Rupees (in words) Eleven Thousand only.

on account of _____

by Cash/Cheque/Draft No. 333961 ⑈. 17/12/16 State Bank of India

Rs. 11000/-

[Signature]
Signature



(00731)-SME MILLERGAJ LUDHIANA
POST BAG NO.30, P.O.INDUSTRIAL
ESTATE, LUDHIANA.DIST:LUDHIANA, PUNJAB 141003
Tel : 161 5093703 Fax : 5093700 IFS Code : SBIN000731 SWIFT :

केवल 3 महीने के लिए वैध / VALID FOR 3 MONTHS ONLY

14/04/2017
D D M M Y Y Y Y

PAY SOCIETY FOR WELFARE OF THE HANDICAPPED (REGD.)

को या उनके आदेश पर OR ORDER

रुपये RUPEES Eleven Thousand Only

अदा करें ₹ 11,000.00

खा.स. A/c No. 10331017129

VALID UPTO ₹ 50 LACS AT NON-HOME BRANCH

CASH CREDIT A/C

PREFIX :
1516100004

Hitendra
Sharma
ALLIED RECYCLING LIMITED

MULTI-CITY CHEQUE Payable at Par at All Branches of SBI

Please sign above

⑈ 754503 ⑈ 141002003⑈ 000845⑈ 30

Blind Can Feel - Deaf Can See - Your Kindness

Mob. : 97800-43892
97800-43893
0175-2050353, 2221098

Society for Welfare of The Handicapped (Regd.)

S. KISHAN SINGH KAMBOJ HOSTEL, LOWER MALL, PATIALA

Managing : Patiala School For The Deaf

Patiala School For The Blind

Patiala School For The Deafblind

Vill. Saifdipur, Behind Punjabi University, Patiala

Registered with Govt. of India to receive direct Foreign Contribution-Regd. No. 115310019

Book No. 159

Receipt No. 36

Date 16/04/2017

RECEIVED with thanks from Sh./Smt. *Allied Recycling Ltd.*

Address *V.Po Budhmal, Chandigarh Road, Ludhiana*

Donation of Rs. *Eleven thousand only*

for *Donation* by Cash/Cheque/Draft No. *754503 (SBI)*

Dated *14/04/2017*

Rs. *11000/-*

Permanent exemption from Income Tax under Sec. 80-G of IT Act 1961 Sanctioned as per letter No. CIT/PTA/TECH/1124/80-9/2007-2008/2259 Dt. 20.02.2008 and amended clause (vi) sub sec (5) of 2009 Income Tax Act. PAN No. AADTS8635E

Gm Hitendra
Signature

24023 / 100 / BLUE ORDER / B / 28/Apr/2017
SESHAASAI (D) / C/S-2010

भारतीय स्टेट बैंक
State Bank Of India

(00731)-SME MILLERGAJ LUDHIANA
POST BAG NO.30, P.O. INDUSTRIAL
ESTATE, LUDHIANA DIST. LUDHIANA, PUNJAB 141003
Tel : 161 5093703 Fax : 5093700 IFS Code : SBIN000731 SWIFT :

केवल 3 महीने के लिए वैध / VALID FOR 3 MONTHS ONLY

30012018
D D M M Y Y Y Y

PAY *Crop Improvement Society of India* को या उसके आदेश पर **OR ORDER**

रुपये RUPEES *Fifteen Thousand only.*

अवा करें ₹ 15000/-

खा. सं. A/c No. 10331017129

VALID UPTO ₹ 50 LACS AT NON-HOME BRANCH

CASH CREDIT A/C
PREFIX :
1516100004

[Signature]

ALLIED RECYCLING LIMITED

MULTI-CITY CHEQUE Payable at Par at All Branches of SBI

Please sign above

⑈833945⑈ 141002003⑈ 000845⑈ 30

21st Punjab Science Congress

February 7-9, 2018

SCIENTIFIC ADVANCES FOR INCLUSIVE DEVELOPMENT AND ENVIRONMENTAL PROTECTION



Under the Aegis of
**Punjab Academy of Sciences,
Patiala**

Organized by
**Punjab Agricultural University
Ludhiana-141004**





श्री रघुनाथ हस्पताल

SHREE RAGHUNATH HOSPITAL SOCIETY

AGGAR NAGAR, FEROZEPUR ROAD, LUDHIANA-141 012.

Registered for Exemption U/S 80-G of the Income Tax Act, 1961 Vide C.I.T. Ludhiana
Order No. C.I.T.-III/LDH./JB/80-G/315/10-11/5113 Dt. 24-03-2011

RECEIPT No. **713**

PAN - AADTS4968G

Dated 19/06/2018

Received with thanks from Sh./Smt. M/S ALLIED RECYCLING LIMITED

the sum of Rupees FIVE LAKH ONLY

on account of DONATION

vide Cash/Cheque/Bank Draft No. CHNO-064020 SBI dt 18/6/2018

For Shree Raghunath Hospital Society

₹ 500000/-

Subject to encashment of Cheque / Draft

[Signature]
President / Treasurer / Secretary

ੴ ਸਤਿਗੁਰ ਪ੍ਰਸਾਦਿ॥

YOUNG SPORTS CLUB

Village Budhewal (Ludhiana)

(Regd. No. 587)

YOUNG SPORTS CLUB

No. **1908**

Dated 12-25-19

Received with thanks from Sh./Smt. Allied Recycling

the sum of Rupees (in words) Twenty thousand

On account of one hundred only

by Cash/Cheque/Draft No. 675/00 Dated 12/02/19

Rs. 21000

[Signature]
Signature



श्री गोविन्द गौ धाम

संचालक: गौ सेवा समिति (रजि०)

रजि. ऑफिस : कमर्शियल स्टेशनर्ज, गिल रोड, लुधियाना।

प्रताप सिंह वाला, हम्बडां रोड, लुधियाना ।

M : 98724-28788, 94175-00000, 98149-49492, 98720-22224, 94170-01043

DATE:-14/05/2019

TO
SH. VIJAY ABROLJI

C/OALLIEDRECYCLING LIMITED

We have received your Ch. No.064447 Rupees 100000/-

(One Lac only). Our receipt No.229 dt.15/05/2019 against this chq.

We are very grateful to you for the contribution you have make in Our SHREE GOVIND GOW
DHAM .(GOW SEWA SAMITI).

Note: Attach Receipt & 80 G

Thanks,
With Regards,
Ashok Dhawan
ASHOK DHAWAN

राधे राधे

असहाय, लाचार व बीमार गायों की एक मात्र गौशाला

दूरभाष: 2808090
98149 49492
98720-22224

श्री गोविन्द गौ धाम

संचालक: गौ सेवा समिति (रजि०)

हम्बडां रोड, ब्रेटर कैलाश कालोनी, सामने राधा स्वामी सत्संग घर, लुधियाना

सम्पर्क सूत्र: 94175-00000, 98724-28788, 98764-22222

क्रमांक : 229

दिनांक 15/05/19

श्रीमान/श्रीमति Allied Recycling Limited

च.नं-064447 dt-14/05/19 5137 जी से

रु. One Lac only

गौशाला हेतु धन्यवाद सहित प्राप्त किये।

₹ 100000

Donations Eligible for Tax Relief U/S 80-G of Income Tax Act, 1961
Vide Order No. CIT-II LDH JB 80-G 09-10 DT. 05-06-09

हम सब का एक ही लक्ष्य भगवान कृष्ण की भक्ति और गायों की सेवा

PAN No. AAATG2842A PNB A/C No. 3463000101658164 RTGS IFSC CODE PUNB0346300

26/22/100/BLUE ORDER/1/28/Jan.2018
SESHAASA (D) / CTS-2010

Holey

भारतीय स्टेट बैंक
State Bank Of India

(00731)-SME MILLERGAJ LUDHIANA
POST BAG NO.30, P.O.INDUSTRIAL
ESTATE, LUDHIANA, DIST:LUDHIANA, PUNJAB 141003
Tel : Fax : IFS Code : SBI00000731 SWIFT :

वैधता 3 महीने के लिए है / VALID FOR 3 MONTHS ONLY
13112019
D D M M Y Y Y Y

PAY Sports Council PSEB Patiala

₹ 10000/2
अदा करे

10331017129

VALID UPTO ₹ 50 LACS AT NON-HOME BRANCH

CASH CREDIT A/C
PREFIX :
5078000004

Handwritten Signature

ALLIED RECYCLING LIMITED

MULTI-CITY CHEQUE Payable at Par at All Branches of SBI

⑈842637⑈ 141002003⑈ 000845⑈ 30

Welcome : ALLIED RECYCLING LTD (29116) [Know More](#)

SANJAYGARG

You are here: / Reports / Query By Account

e-PayOrder Details**e-PayOrder Details**

e-PayOrder Number CNAAYTVLP1

Debit Status Success

26-Mar-2020

POLICE WELFARE FUNDS

One Lakh only

1,00,000.00

00000010331017129

RNW MILLERGANJ, LUDHIANA

SANJAYGARG
MAKER
"CNAAYTVLP1"SANJAYGARG
Authorizer 1

Counterfoil Description ALLIED RECYCLING LTD

Transaction Type NEFT Funds transfer

GSTIN Number --

Debit Account Details

Account No.	Branch	Amount
00000010331017129	RNW MILLERGANJ, LUDHIANA	1,00,000.00

Credit Account Details

Beneficiary Name/Account No.	Bank/Branch/IFSCCode	Amount	Credit Status	UTR No.
------------------------------	----------------------	--------	---------------	---------

Beneficiary Name/Account No.	Bank/Branch/IFSCCode	Amount	Credit Status	UTR No.
POLICE WELFARE FUNDS/50100213047863	HDFC BANK/LUDHIANA - STOCK EXCHANGE EXTN CTR/HDFC0000634	1,00,000.00	Credited to Beneficiary Account	SBIN120086298405

[Privacy Statement](#) [Terms of Service \(Terms & Conditions\)](#)

© State Bank of India

Site best viewed at 1024 x 768 resolution in I.E 10 +, Mozilla 35 +, Google Chrome 35 +





श्री गोविन्द गौ धाम

दूरभाष: 2808090
98149-49492
98720-22224

संचालक: गौ सेवा समिति (रजि0)

हम्बडां रोड, ग्रेटर कैलाश कालोनी, सामने राधा स्वामी सत्संग घर, लुधियाना
सम्पर्क सूत्र: 94175-00000, 98724-28788, 0161-2307090

क्रमांक : 206

दिनांक 28/5/2020

प्रेमान/श्रीमति Allied Recycling Limited

कैश/चेक/डीडी/डैबिट/क्रेडिट कार्ड नं. Chq. No. 41894 से

One Lakh One thousand only

पेशाला हेतु धन्यवाद सहित प्राप्त किये। P.No, AAECA 76485

₹ 101000

Donations Eligible for Tax Relief U/S 80-G of Income Tax Act. 1961
Vide Order No. CIT-II LDH JB 80-G 09-10 DT. 05-06-09

हम सब का एक ही लक्ष्य भगवान कृष्ण की भक्ति और मात्र गायों की सेवा

IN No. AAATG2842A

PNB A/C No. 3463000101658164

RTGS IFSC CODE PUN80346300

PROJECT : EK PRAYAAS

Adj. Radha Swami Satsang Beas, Centre-VI, Thakur Colony,
Behind Sterling Resorts, Pakhowal Road, Ludhiana-142022



SOCIAL ACTION GROUP

13-C, SARABHA NAGAR, LUDHIANA (PUNJAB). PHONE : 0161-2170084

Receipt No. **10172**

Dated **18/12/2018**

Received with thanks from **Allied Recycling Limited**

the sum of Rupees **One lakh only**

on account of **Donation**

by Cash/Cheque/Draft No. **064326** Dated **13/12/2018**

Rs. **100000/-**

FOR SOCIAL ACTION GROUP
PAN NO. AABTS 6775 M
Bealon
Authorised Signatory

Exempted vide Letter No. DT-III/Ex. I/BJ/0-G/250/769 dated 06/05/2005 vide letter No. DT-III-04-2009 onwards.

कृष्ण बलराम गौशाला ट्रस्ट (रजिः)

सिंगला इन्कलेव, गाँव दुलों खुर्द, लुधियाना।

सम्पर्क सूत्र : 9216451217, 9316918317, 9814200100, 9814053162, 9814044306, 9888200800, 9814024387, 9316901300

PAN NO : AAATK8412A

* गौ सेवा हेतु दान *

क्रमांक 39506

तिथि: 18/03/19

श्रीमान/श्रीमति Allied Recycling Limited जी

निवासी VPO Buelhewal Chandhijseh Road Ludhiana

दान की रकम (अक्षरों में) Sixty two thousand only.

धन्यावाद सहित प्राप्त की। चैक नं: 064431 बैंक S.B.I

रु. 62000/-

Axis Bank, A/c No. 917010071545998

IFS Code : UTIB0001809

Union Bank, A/c No. 397302010060427

IFS Code : UBIN0539732

Deduction Allowed U/S 80G Vide Letter No. CIT/LDH-I/TECH/80G/2/2007-08/1290

Dated 08/11-06-2007 read with Circular No. 5 of 2010 Dt : 30-06-2010

हस्ताक्षर

ALLIED RECYCELING LTD.
VPO.Budhewal, Chandigarh Road,
Ludhiana (PB)
Ledger (2020-21)

Account STAFF & LABOUR WELFARE(COVID-19)

Period 01/Apr/20 to 30-Jun-20

Date	Narration	Ref.	Debit	Credit	Balance	
22-May-20	To AMOUNT PAID TO STAFF AND LABOUR AS SPECIAL ASSITANCE DURING COVID-19 LOCKDOWN (492100+75700)	BB04	567,800.00		567,800.00	Dr
09-Jun-20	To AMOUNT PAID TO STAFF AND LABOUR AS SPECIAL ASSITANCE DURING COVID-19 LOCKDOWN (57200+23100)	BB04	80,300.00		648,100.00	Dr
22-Jun-20	To AMOUNT PAID TO STAFF AND LABOUR AS SPECIAL ASSITANCE DURING COVID-19 LOCKDOWN (192400+39100)	BB04	231,500.00		879,600.00	Dr
	Total		879,600.00			














ALLIED RECYCLING LTD.
Growing Stronger Together..

[Home](#) [Company](#) [Our Products](#) [Infrastructure](#) [Quality](#) [Contact Us](#)

Environment

[Home](#) > [Pages](#) > [Environment](#)

"Six Monthly Compliance Status Report of the MOEF Environmental Clearance"

 Period from 01.07.2020 to 31.12.2020	 Period from 01.01.2020 to 30.06.2020	 Period from 01.07.2019 to 31.12.2019
 Period from 01.01.2019 to 30.06.2019	 Period from 01.07.2018 to 31.12.2018	 Period from 01.01.2018 to 30.06.2018
 Period from 01.07.2017 to 31.12.2017	 Period from 01.01.2017 to 30.06.2017	 Period from 01.07.2016 to 31.12.2016
 Period from 01.01.2016 to 30.06.2016	 Period from 01.07.2015 to 31.12.2015	

॥ राम ॥

Allied Recycling Ltd.

Manufacturers of :
 ALLOY & NON ALLOY STEEL BILLETS,
 WIRE ROD & ROUND
 CIN : U27100PB2003PLC026583



Date: 28.12.2020

To
The Joint Director,
 Ministry of Environment, Forest & Climate Change,
 Regional Office (North),
 Government of India,
 Bay No. 24-25, Sector-31A,
 Chandigarh 160030.

Subject: Submission of six monthly compliance report for period ending 30.09.2020 for the expansion of steel manufacturing unit namely "Allied Recycling Limited" located at Village Budhewal, Tehsil Kum Kalan, Ludhiana, Punjab.

Sir,

With reference to the EIA Notification & its amendments regarding submission of six monthly compliance report, we are hereby submitting the six monthly compliance report for period ending 30.09.2020 for the above said project in soft copy in compact disk (CD) of the compliance report for your perusal.

Kindly acknowledge the receipt of the same.

Thanking you.

Sincerely,
 For Allied Recycling Limited

Hitesh Abrol
 (Authorized Signatory)

Name- Hitesh Abrol
 Contact No.- 9814100519
 Designation- Managing Director
 E-mail- alliedrecyclinglimited@gmail.com

Singh
 30/12/2020

✓ CC: Member Secretary, SEIAA Punjab, Directorate of Environment and Climate Change, C/o Punjab State Council for Science & Technology, MGSIPA Complex, Sector 26- Chandigarh-160019.

॥ राम ॥

Allied Recycling Ltd.

Manufacturers of :
ALLOY & NON ALLOY STEEL BILLETS,
WIRE ROD & ROUND
CIN : U27100PB2003PLC026583

Received
31/12/2020



भारत सरकार / Govt. of India
पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय
Min. of Environment, Forests & Climate Change
ब्लॉक नं. 24-25, सेक्टर 31-ए
Bays No. 24-25, Sec- 31 A
चण्डीगढ़ Chandigarh

Date: 28.12.2020

To
The Joint Director,
Ministry of Environment, Forest & Climate Change,
Regional Office (North),
Government of India,
Bay No. 24-25, Sector-31A,
Chandigarh 160030.

Subject: Submission of six monthly compliance report for period ending 30.09.2020 for the expansion of steel manufacturing unit namely "Allied Recycling Limited" located at Village Budhewal, Tehsil Kum Kalan, Ludhiana, Punjab.

Sir,


With reference to the EIA Notification & its amendments regarding submission of six monthly compliance report, we are hereby submitting the six monthly compliance report for period ending 30.09.2020 for the above said project in soft copy in compact disk (CD) of the compliance report for your perusal.

Kindly acknowledge the receipt of the same.

Thanking you.

Sincerely,

For Allied Recycling Limited



(Authorized Signatory)

Name- Hitesh Abrol

Contact No.- 9814100519

Designation- Managing Director

E-mail- alliedrecyclinglimited@gmail.com

CC: Member Secretary, SEIAA Punjab, Directorate of Environment and Climate Change, C/o Punjab State Council for Science & Technology, MGSIPA Complex, Sector 26- Chandigarh-160019.

Regd. Office & Works : V.P.O. Budhewal, Chandigarh Road, Distt. Ludhiana (Punjab)

Tel. : 0161-2848535, 2843119, Website : www.alliedrecycling.in Email : alliedrecyclinglimited@gmail.com